



**SEE MORE**  
OF WHAT  
YOU WORK  
FOR

**bolle**   
SAFETY

**SEE ALL  
YOU CAN DO**

# SUMMARY

# 4

FOCUS PPE

# 50

LENSES

# 80

B-CLEAN

# 6

SELECTION  
GUIDE



# 14

PLATINUM

# 54

GOGGLES

# 82

CO-BRANDING

# 16

GLASSES

# 64

PRODUCT DESIGN

# 84

OUR SEGMENTS

# 32

GO GREEN

# 66

FACE SHIELDS

# 86

WHO WE ARE

# 40

EXCELLENCE

# 70

WELDING

# 88

MARKINGS

# 46

OVER  
THE GLASSES

# 78

ACCESSORIES

# 90

QUICK SEARCH

## WHY CHOOSE US



### 72-HOUR SHIPPING

Because doing your job at full capacity can't wait.



### GLOBAL PRODUCTION CAPACITY

With 10 manufacturing plants around the world.



### COMPLIANCE WITH INTERNATIONAL STANDARDS

Our products comply with all global quality standards for safety eyewear such as the EN166.



### TRUSTED BY THE BEST

We work with top organizations such as General Electrics, BP, Eiffage, Coca-Cola, EDF, Rolls-Royce.



### A MORE SUSTAINABLE PRODUCTION

We strive to develop products with greener materials and manufacturing processes for a better future for you, us, and the planet.



### CERTIFIED CONTROL

We retain total control over the quality and safety of the products we make. Our factories are ISO 9001 certified.



### CONSTANT INNOVATION

We are constantly improving our protective eyewear to provide better protection for all healthcare professionals.

# THE GLOBAL PUREPLAYER IN PPE EYEWEAR AT YOUR SERVICE



**PETER SMITH**  
**BOLLÉ SAFETY**  
**CEO**



As CEO of Bollé Brands, it is a privilege for me to serve the millions of hard-working industrial workers who use Bollé Safety products every day. A privilege because I feel that we render a genuine service to the industries and families that rely on them in the form of quality eye protection.

Bollé has been a leader in the eyewear industry since 1888.

The industrial sector has been our main focus since day one: in the 1950's, Bollé Safety was founded with the ambition to protect the eyes of industrial workers from the harsh environments they work in. And we continue this legacy today with innovations like PLATINUM and PLATINUM LITE, our anti-fog and anti-scratch coatings, or ProBlu, protective and stylish eyewear range against harmful blue light.

We are now working on our legacy for tomorrow, with sustainability as our number one priority: we are fully invested to develop sustainable products like the Solis Go Green glasses and our eco-packaging, as part of our Go Green plan.

For the past 60 years, industrial companies and workers all over the world have come to expect the highest standards of excellence when it comes to Bollé Safety products. Combined with our Comfort Sense Perception (CSP) lens filtering technology, Bollé Safety offers over +400 combinations of protection for any job, any time, anywhere.

But we didn't just become the world's most trusted protective eyewear manufacturer based on safety alone. Ask any wearer of Bollé Safety PPE and they will tell

you that what makes us different from other brands is our mindset of creating products that don't just keep you safe, but also let you be great at what you do.

So this catalog doesn't just represent industrial eye protection at its best. It also represents all the men and women who wear Bollé Safety on the job working at their best as well.

We take pride in that trust.

So, if you already wear Bollé Safety, thank you for your loyalty. And if this is your first time with us, we are pleased to welcome you into this family of greatness.

**And we can't wait to See All You Can Do.**

# SAFETY, MOTIVATION AND WELL-BEING REASONS

## PERSONAL PROTECTIVE EQUIPMENT HAS MORE THAN PROTECTION TO OFFER

From helmets to hi-vis vests to eyewear, PPE covers a wide range of equipment whose primary function is of course to protect workers from hazards and injuries. But beyond this fundamental

preventive role, protective gear also has a lot to contribute in terms of employee engagement, motivation and wellbeing.



## ENSURING THE BASICS: EQUIPMENT SELECTION AND MAINTENANCE

Offer on the PPE market is large, so it's important to take the time to identify the eyewear that's right for your needs. Before anything, ask yourself what type of exposure your workers need protection from, go for products that are compliant with regulations and to choose suitable equipment in terms of fit and weight. If several protective items are to be used simultaneously, make sure that it won't be a problem, for example that there will be no conflict between the selected safety goggles and face masks. Also keep in mind that if the users are involved in the choice of their equipment, they will be more likely to use it.

But they have to use it right. Make sure employees are properly informed and trained about the use of the equipment -how to tighten strap or how to add a gasket for instance, or what the limitations are in terms of usage. Lastly, PPE must always be adequately maintained and monitored. As these are items that are often exposed to extensive wear and tear, companies need to make sure the equipment is properly stored, checked and replaced whenever necessary. Keep replacement stock available, ensure there are clearly designated people responsible for maintenance and request that employees report any loss, destruction or defects.

# ATION G

## SAFE THEREFORE MOTIVATED

Once all these requirements and precautions are met, you're set to reap the additional benefits of PPE: employee engagement and wellbeing, along with a cherry on the cake-increased productivity.

For obvious reasons, employees who feel safe in their daily tasks and suffer less injuries and illness are bound to be more efficient in their work. Wearing protective eyewear tailored to the specific needs of their work environments makes their lives much easier -and when something is easier, you do it faster and better, which boosts motivation. Not to mention the reduction or absence of injuries will help keep staff morale high.

Enjoying the right, high-quality and well-maintained protective equipment that's adapted to the task at hand and properly used, employees become more safety conscious and feel more engaged in their work, as they are confident in the fact their company cares about their safety and wellbeing. In the end, having the right PPE for the job can do much more than helping them see better: it will help them be great at what they do and unlock their full potential.

You can also take advantage of our co-branding offer to provide your employees with customized protective eyewear they will be proud to wear.

## THE BENEFITS OF SAFETY EYEWEAR

Protective eyewear does wonders for the safety of workers and the productivity of companies. Don't take our word for it, take a look at the following numbers:

# 90%

**of eye injuries** could be prevented with appropriate safety eyewear <sup>1</sup>

**Productivity gains** could reach

# €250

**billion** globally by eliminating bad vision problems <sup>3</sup>

**Industrial manufacturing** is the

# #1

market for protective eyewear: **31% of total revenue in 2018** <sup>5</sup>

# 720, 000

**workplace injuries** could be avoided every year in the US alone if eye protection was worn <sup>2</sup>

**Eradicating eye injuries** would save

# \$300

**million** in medical expenses and worker compensation each year <sup>4</sup>

<sup>1</sup> <https://preventblindness.org/preventing-eye-injuries/#1585701834003-65402908-aa1a>

<sup>2</sup> <https://preventblindness.org/>

<sup>3</sup> Visual Ergonomics in the Workplace - SAGE Journals JR Anshel -2007

<sup>4</sup> <https://www.osha.gov/eye-face-protection>

<sup>5</sup> [grandviewresearch.com](http://grandviewresearch.com)

# THE RIGHT EYEWEAR FOR MANUFACTURING

WORKING IN AN INDUSTRIAL ENVIRONMENT MEANS BEING PART OF A TEAM THAT'S COUNTING ON THE PRECISION OF YOUR WORK. WHY? BECAUSE IT WILL HAVE A DIRECT IMPACT ON THE QUALITY OF THE GOODS YOU'RE MANUFACTURING, WHICH YOUR CUSTOMERS WILL USE FOR YEARS.



## RECOMMENDED PRODUCTS

Assembly line worker  
**RUSH+ CLEAR**

Machine operator  
**SILEX+ CLEAR**

Plant operator  
**NESS+ CLEAR**

Industrial engineer  
**SILIUM+ CLEAR**

Quality control inspector  
**COBRA HD**

Forklift driver  
**CONTOUR COPPER**

Warehouse Worker  
**IRI-S CLEAR**

Electronic assembler  
**RUSH HD**

Production Painter  
**ATOM**

Metal Worker  
**FLASH**

*Other products may also be suitable within this industry*



## IMPACTS

Mechanical risks are mainly present during machining operations that can project potentially sharp-edged particles with high kinetic energy. Impact hazards vary according to industrial sectors: they can require safety spectacles, goggles or a face shield.



## DUST

Beyond its well-known impacts on lungs and slipperiness, dust also affects vision, as small particles can cause eye dryness, irritations and abrasion. To counter this problem, sealed and well-adjusted eyewear is recommended.



## HOT METAL

Hot metal comes with various risks: abrasion sparks cause burns, and light from grinding and welding can lead to long-lasting vision losses. From spectacles to goggles to helmets, Bollé Safety offers protection for every situation.

## FOCUS ON



### SILEX+

Our SILEX+ glasses combine protection, comfort and style. Their ultra-wraparound frame is devoid of any metal parts and they are equipped with our anti-fog, anti-scratch PLATINUM coating. SILEX+ is available with new branch colour combinations and in two sizes.



### FUSION+

Combining its predecessors' best assets, our FUSION+ welding helmet brings optical performance, comfort and style to the range. Suitable for all welding types, it's equipped with an electro-optical filter, True Color technology and UV & IR protection.



### SOLIS Go Green

This model was developed with the utmost respect for the environment. While remaining 100% compliant with international safety standards, its nylon frame is made from recycled fishing nets and its packaging is 100% recycled & recyclable.

# THE RIGHT EYEWEAR FOR OIL & GAS

THE OIL & GAS SECTOR IS A HEAVY-DUTY INDUSTRY WHERE ENJOYING PERFECT VISION IS PRECIOUS IN ALL CIRCUMSTANCES, WHETHER ON AN OFFSHORE PLATFORM, A GAS PLANT OR IN AN OIL FIELD.

## RECOMMENDED PRODUCTS

- Drilling engineer  
**TRYON POLARIZED**
- Engineering geologist  
**CONTOUR POLARIZED**
- Well engineer  
**MERCURO COPPER**
- Operations technician  
**NESS + CLEAR**
- Geoscientist  
**HUSTLER SMOKE**
- Hydrographic surveyor  
**TRYON COPPER**
- Site medic  
**TRYON OTG CLEAR**
- Petroleum engineer (Offshore)  
**MERCURO POLARIZED**
- Mechanical fitter  
**BAXTER CLEAR**
- Electro technical officer  
**COBRA CLEAR**

*Other products may also be suitable within this industry*



## FOCUS ON

### PILOT NEO

Its co-injected, vented frame and adjustable neoprene strap guarantee perfect adaptability, comfort (even over prescription glasses) and thermal resistance, making it the optimal goggles for the oil & gas environments.



### KOMET

Thanks to its ultra wrap-around design, thin temple arms and a high clarity polarised lens, KOMET provides the best combination of comfort and effective protection.



### SUPERBLAST Foam & Visor

SUPERBLAST combines goggles and a detachable visor in order to offer 180° vision and optimal protection, including an overflow chute for liquids. It also provides top-notch comfort, with its adjustable strap and super-lightweight quality.



### CORROSION

With its equipment, tools and piping worn out by dirt, high pressure, harsh weather and abrasive chemicals, the oil & gas industry is highly exposed to corrosion. Rusted metal is more easily broken, hence creating flying debris and particles.



### UV RAYS

On offshore platforms or open field wells, vision comfort and precision are often dangerously diminished by glares and distortions caused by sunlight. What's more, excessive exposure to high intensity light sources can cause burns and lesions to the eye.



### CHEMICALS

Workers in the oil & gas industry have to deal with corrosive chemicals that present significant risk when a substance that is splashed or present in the environment impacts the eye or skin. It is therefore mandatory to use adequate protection.

# THE RIGHT EYEWEAR FOR CONSTRUCTION

CONSTRUCTION SITES ARE A CONSTANT HAZARD FOR THE EYES OF WORKERS. THEY REQUIRE PROTECTION AGAINST FLYING FRAGMENTS, AGGRESSIVE CHEMICALS AND DUST BLOWING IN THE WIND.



## RECOMMENDED PRODUCTS

Project manager  
**SILIUM+ CLEAR**

Construction worker  
**SILEX+ SMOKE**

Civil engineer  
**CONTOUR CLEAR**

Crane operator  
**NESS+ COPPER**

Concrete truck driver  
**MERCURO POLARIZED**

Dump truck operators  
**HUSTLER COBALT FLASH**

Inspector  
**B808 CLEAR**

Welder  
**FUSION+**

Carpenter  
**ULTIM8 CLEAR**

Painter  
**COBRA TPR**

*Other products may also be suitable within this industry*



### IMPACTS

When working on construction sites, chances to come across flying chips, shards, pieces of wood, metal or concrete are very high. Because of this, workers' eyes must be protected against mechanical hazards.



### DUST

Dust is prevalent in many construction operations, and as most work happens outdoors, the wind increases dust hazards. Dust affects vision: small particles can cause eye dryness, irritations and abrasion. Therefore, sealed and well-adjusted eyewear is recommended.



### CHEMICALS

From cement additives to paints to adhesives, chemical products are rife on construction sites. Through splatters and toxic vapours, they represent one of the most dangerous eye hazards for workers in this industry.

## FOCUS ON



### BL30

These glasses were designed for universal protection. With their wraparound design and "stop-in" system that prevents contact with the lenses, BL30 eyewear is super lightweight and contains no metal parts, guaranteeing long-lasting comfort and protection for all situations.



### TRYON

TRYON adds a sporty stylishness to your protection eyewear. This innovative model is designed with an ultra-wraparound fit and features co-injected temples and an adjustable non-slip bridge, for unparalleled comfort.



### ATOM

Weighing no more than 73g, ATOM are the lightest protection goggles in the Bollé Safety range. They offer enhanced protection for construction workers while being compact and extremely comfortable thanks to their flexible TPR frame.



# THE RIGHT EYEWEAR FOR CHEMICAL

WORKING IN THE CHEMICAL SECTOR IMPLIES BEING EXPOSED TO SPLASHES FROM HAZARDOUS AND POTENTIALLY HOT PRODUCTS. SHIELDING YOUR EYES FROM THESE VARIOUS DANGERS IS AN ABSOLUTE NECESSITY.

## RECOMMENDED PRODUCTS

Biochemist  
TRYON OTG CLEAR

Chemical Engineer  
COVERALL

Environmental Inspector  
SILEX+ COPPER

Forensic Chemist  
RUSH+ CLEAR

Food Scientist  
OVERLIGHT CLEAR

Laboratory Technician  
COBRA TPR CLEAR

Quality Control Technician  
COBRA HD

Pharmacy Technician  
NESS+ ASSEMBLED

Molecular Biologist  
NESS CLEAR

*Other products may also be suitable within this industry*



## FOCUS ON

### SUPERBLAST

SUPERBLAST combines goggles and a detachable visor in order to offer optimal protection and 180° vision, including with our anti-fog PLATINUM coating. It also provides top-notch comfort, with its adjustable strap and super-lightweight quality.



### COBRA TPR

These goggles are up to contend with the most extreme conditions: high-strength, compact, lightweight and 100% sealed. COBRA TPR offers absolute protection against the dangers of hazardous chemicals.



### ULTIM8

True to their name, our ULTIM8 goggles offer the most advanced protection for extreme work environments where dust, cold, heat and humidity can dangerously affect workers' vision. What's more, it comes as a spectacle/goggle transformation kit.



### SPLASHES

Splashes in the chemical industry are often corrosive, abrasive or contaminated. As exposure to these risks can lead to vision loss, it is recommended to use wraparound protective equipment, preferably sealed or vented to ensure visual comfort.



### CHEMICALS

Obviously, the chemical industry is rife with chemical risks. The moving, mixing and producing of hazardous chemicals cause splatters, gas and toxic vapours and dust that can result in severe reactions in the eye.



### THERMAL

Thermal risks are inherent to the chemical industry, resulting from chemical reactions and splashes of hot liquids. Heat may in turn result in burns to the eye and the fogging up of protective eyewear, which can drastically increase accidents by reducing vision.

# THE RIGHT EYEWEAR FOR MINING

**DUE TO INTENSE SUNLIGHT, HEAVY-DUTY MACHINERY AND DUST, THE MINING INDUSTRY IS RIFE WITH DANGERS TO THE EYES OF WORKERS. FORTUNATELY, BOLLÉ SAFETY HAS THE RIGHT PROTECTIVE EYEWEAR FOR EVERY MINING RISK.**



## RECOMMENDED PRODUCTS

Drillers offsider  
**ULTIM8 CLEAR**

Underground worker  
**SILEX AMBER**

Excavator operator  
**BAXTER POLARIZED**

Fettler  
**BAXTER SMOKE**

Driller  
**PILOT COPPER**

Camp electrician  
**SPHERE**

Mechanical field engineer  
**TRYON COPPER**

Quarry manager  
**TRYON COBALT FLASH**

Charge up operator  
**COBRA ASSEMBLED CLEAR**

Underground truck operator  
**CONTOUR CLEAR**

*Other products may also be suitable within this industry*



### LUMINOSITY

In mining environments, workers can be subject to intense UV radiation or poor luminosity, or might have to constantly switch between low and bright light. All these situations cause vision discomfort, fatigue and potential eye injury.



### IMPACTS

Mining requires extreme levels of power for heavy machinery, tools or high pressure for excavation. All this causes mechanical hazards for the eye due to impacts, metal chips or pieces of rock projected with high kinetic energy.



### DUST

Mining is a highly dusty business, with its excavating, rock cutting and heavy duty vehicles rolling around. And dust affects vision: small particles can cause eye dryness, irritations and abrasion. Therefore sealed and well-adjusted eyewear is recommended.

## FOCUS ON



### BAXTER

Protect your eyes from dust as well as from splashes with our BAXTER glasses. Their ingeniously designed removable strap, waterproof foam and wrap-around frame make for the perfect combination of safety and comfort.



### NESS+ Assembled

Go for the sporty look of our NESS+ glasses and enjoy absolute comfort and protection with their co-injected temples, ultra-wraparound frame, non-slip nose bridge and panoramic vision.



### MERCURO Polarized

Our MERCURO Polarized glasses are specifically designed for working outdoors. Their stylish and comfortable design features bi-material temples and an ultra-wraparound frame, for a wide visual field and maximum protection and performance.

# THE RIGHT EYEWEAR FOR ENERGY

IN THE ENERGY INDUSTRY, THE RANGE OF POTENTIAL RISKS IS WIDE. FROM HEAT TO ELECTRICITY TO IMPACTS, WORKERS HAVE TO BE SURE THEIR EYES ARE ADEQUATELY PROTECTED IN ALL CIRCUMSTANCES.

## RECOMMENDED PRODUCTS

Electrician  
**SPHERE**

Electrical engineer  
**SILEX+ CLEAR**

Gas plant operator  
**NESS+ SMOKE**

Welder  
**FUSION+**

Mechanical engineer  
**RUSH+ SMOKE**

Electrical powerline installer  
**MERCURO SMOKE**

Power plant operator  
**COBRA CLEAR**

Pipelayer  
**TRYON COPPER**

Installation technician  
**SILIUM+ CLEAR**

*Other products may also be suitable within this industry*



## FOCUS ON

### SPHERE

Our SPHERE face shield offers exceptional 180° vision and ultra-enveloping protection. In addition to the flip-up shield, the headgear and brow guard are adjustable for both height and depth: Sphere will adapt to any situation and any use.



### RUSH+ Small

With their upper protection and non-slip adjustable bridge, our RUSH+ glasses offer complete safety for workers in the energy industry. Their panoramic and ultra-sporty design is now available in a smaller size, for narrower faces.



### NESS+ Assembled

Go for the sporty look of our NESS+ glasses and enjoy absolute comfort and protection with their co-injected temples, ultra-wraparound frame, non-slip nose bridge and panoramic vision. They are great for all risk levels.



### IMPACTS

Mechanical risks are mainly present during machining operations that can project potentially sharp-edged particles with high kinetic energy. Impact hazards vary according to sectors: they can require safety spectacles, goggles or a face shield.



### ELECTRICAL

In addition to hands and body, eyes need protection against electrical risks too - and they are common in the energy sector. Protection against electric arcs requires face shields, and eyewear must be devoid of exposed metal parts or sharp edges.



### THERMAL

By essence, the energy industry generates heat. Heat may in turn result in burns to the eye and the fogging up of protective eyewear, which isn't a danger per se but can drastically increase accidents by reducing vision.

# THE RIGHT EYEWEAR FOR OUTDOOR

IN MANY INDUSTRIES, WORKING OUTDOORS IS THE NORM. WHETHER IN THE HOT SUN OR UNDER CLOUDY SKIES, WORKERS NEED APPROPRIATE EYEWEAR WITH THE RIGHT LENS TREATMENT TO ENJOY OPTIMAL VISION COMFORT.



## RECOMMENDED PRODUCTS

Polarized

BAXTER POLARIZED  
HUSTLER POLARIZED  
CONTOUR POLARIZED  
MERCURO POLARIZED  
TRYON POLARIZED

Flashed

HUSTLER COBALT FLASH POLARIZED  
TRYON COBALT FLASH  
KOMET FIRE FLASH

Smoke

TRACKER SMOKE  
SOLIS GO GREEN SMOKE

*Other products may also be suitable within this industry*



## GLARES

Reverbating surfaces are everywhere outdoors: water, snow, glass... Those surfaces increase glares, which are high luminosity sources that lead to visual discomfort and premature eye strain and fatigue. Glares highly increase the risk of accidents on the workplace as well by increasing reaction time.



## UV RAYS

Whenever you're working outdoors, vision comfort and precision are often dangerously diminished by glares and distortions caused by sunlight. What's more, excessive exposure to high intensity light sources can cause burns and lesions to the eye.



## DUST

Small particles can cause eye dryness, irritations and abrasion. Therefore sealed and well-adjusted eyewear is recommended.

## FOCUS ON



## HUSTLER

Our cobalt flash version of these stylish glasses with lateral protection offers enhanced shielding from direct sunlight as well as heat. They are also hydrophobic, which makes them an ideal choice for offshore work.



## CONTOUR Polarized

CONTOUR combines stylishness, robustness and comfort, while being one of our most lightweight models, weighing only 21 grams. For all these reasons, it is one of our best-sellers, and it's available with polarized lenses for extra comfort outdoors.



## KOMET

With their ultra wrap-around unisex design, thin temple arms and high clarity polarised lenses, our KOMET glasses offer cost-effective top-notch protection. In their red flash version, they are the perfect outdoor protective eyewear.



# MAXIMUM PROTECTION AND PERFECT GO HAND IN HAND

**IN ORDER TO DO THEIR JOB WITH EFFICIENCY AND PEACE OF MIND, WORKERS NEED TO BE ABLE TO SEE EXACTLY WHAT THEY'RE DOING WHILE KEEPING THEIR EYES PERFECTLY PROTECTED. MAKING SURE FOG AND SCRATCHES DON'T REDUCE THEIR VISIBILITY PLAYS AN IMPORTANT ROLE TO ENABLE THAT.**

The eye is an essential and fragile organ that directs our movements and guides us in our environment. For workers in all sectors where there is a risk to the eyes, enjoying perfect

vision even when clad in full personal protective equipment, and in situations where heat and humidity are often high, can be a key issue in ensuring optimal and safe performance.


## REACHING BEYOND SAFETY STANDARDS

As part of Bollé Safety's efforts to constantly innovate in order to guarantee optimum protection for workers' eyes, we have developed several lens coatings that improve visual comfort.

Our innovative engineering led to an anti-fog and anti-scratch

coating for safety eyewear and goggles called PLATINUM. Applied permanently through a dipping process on both sides of the lens, PLATINUM goes beyond the requirements of international standards so that industrial workers can function at their best whatever the

conditions: indoors or outdoors, in extreme heat or extreme cold, PLATINUM ensures perfect vision and safety. As it's also wash-resistant, protective eyewear can be re-used while retaining its full properties.



**PLATINUM**  
ANTI-SCRATCH &  
ANTI-FOG COATING  
ON INNER &  
OUTER SIDE


# VISION

## HOW DOES IT WORK?

Fogging on lenses is due to the formation of microdroplets formed by the moisture contained in the air and in the wearer's breath and perspiration. The hydrophilic treatment of the PLATINUM coating turns these droplets into a thin film of water that entirely covers the surface of the lens and delays the appearance of fog.

Thanks to this, PLATINUM provides safety glasses and goggles with greater reliability and comfort. It is complemented by the competitively priced PLATINUM Lite surface coating, which is optimized for workspaces where the risk of fogging is more limited.

PLATINUM exclusive coatings are available on most of Bollé Safety's industrial products, including prescription glasses.




### PLATINUM

ASAF on both sides of the lens with K & N markings

### PLATINUM LITE

ASAF on both sides of the lens



**1** Fogging is the result of the condensation of water into micro-droplets on the surface of the lens. This phenomenon is accentuated by strong temperature variations.

**2** The hydrophilic PLATINUM coating prevents the creation of droplets by dispersing them over the entire surface of the glass, thus, creating a microscopic, colourless and uniform film of water.

**3** Subsequent droplets will water repel this film, delaying the onset of fogging.




# GLASSES

Protecting the eyes of workers is part of protecting their integrity and wellbeing. But they need to be able to continue to focus on their job with the least possible

hindrance from cumbersome safety equipment. Our lightweight and resistant protective glasses provide the perfect combination of precision and comfort.



# SELECTION GUIDE



| MODEL                            | PAGES | Clear | HD | Gradient Bronze | Amber | Copper Flash | Copper | Bronze | Smoke | POLARIZED | Cobalt Flash | Fire Flash | TECHNOLOGY    |
|----------------------------------|-------|-------|----|-----------------|-------|--------------|--------|--------|-------|-----------|--------------|------------|---------------|
| <b>RUSH+</b>                     | P 18  | +     | -  | -               | -     | -            | +      | +      | +     | -         | -            | -          | PLATINUM      |
| <b>SILEX+</b>                    | P 20  | +     | -  | -               | -     | -            | +      | -      | +     | -         | -            | -          | PLATINUM      |
| <b>NESS+</b>                     | P 21  | +     | -  | -               | -     | -            | +      | -      | +     | -         | -            | -          | PLATINUM      |
| <b>COBRA</b>                     | P 22  | +     | +  | +               | +     | -            | +      | -      | +     | -         | -            | -          | PLATINUM      |
| <b>CONTOUR</b>                   | P 23  | +     | -  | -               | -     | +            | +      | -      | +     | +         | -            | -          | PLATINUM      |
| <b>TRYON</b>                     | P 24  | +     | -  | -               | -     | -            | +      | -      | +     | +         | +            | -          | PLATINUM      |
| <b>MERCURO</b>                   | P 25  | -     | -  | -               | -     | -            | +      | -      | +     | +         | -            | -          | PLATINUM      |
| <b>SILIUM+</b>                   | P 26  | +     | -  | -               | -     | -            | +      | -      | +     | -         | -            | -          | PLATINUM      |
| <b>BS08</b>                      | P 27  | +     | -  | -               | -     | -            | -      | -      | -     | -         | -            | -          | PLATINUM      |
| <b>IRI-S</b>                     | P 28  | +     | -  | -               | -     | -            | -      | +      | +     | -         | -            | -          | PLATINUM      |
| <b>BAXTER</b>                    | P 29  | +     | -  | -               | -     | -            | +      | -      | +     | +         | -            | -          | PLATINUM      |
| <b>TRACKER</b>                   | P 30  | +     | -  | -               | +     | -            | -      | -      | +     | -         | -            | -          | PLATINUM      |
| <b>ULTIMS</b>                    | P 31  | +     | -  | -               | -     | -            | -      | -      | -     | -         | -            | -          | PLATINUM      |
| <b>HUSTLER</b>                   | P 34  | -     | -  | -               | -     | -            | -      | -      | +     | +         | +            | -          | PLATINUM LITE |
| <b>KOMET</b> <b>NEW</b>          | P 35  | -     | -  | -               | -     | -            | -      | -      | +     | +         | -            | +          | PLATINUM LITE |
| <b>SOLIS GO GREEN</b> <b>NEW</b> | P 36  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>SILEX</b>                     | P 37  | +     | -  | -               | +     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>RUSH</b>                      | P 38  | +     | +  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>NESS</b>                      | P 39  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>SLAM</b>                      | P 39  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>SILIUM</b>                    | P 42  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>CONTOUR METAL</b>             | P 43  | +     | -  | -               | -     | +            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>BANDIDO</b>                   | P 44  | +     | -  | -               | -     | -            | -      | -      | -     | -         | -            | -          | PLATINUM LITE |
| <b>BL30</b>                      | P 44  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>ILUKA</b>                     | P 45  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |
| <b>PRISM</b>                     | P 45  | +     | -  | -               | -     | -            | -      | -      | +     | -         | -            | -          | PLATINUM LITE |

OPTIMUM EYE PROTECTION  
WITH FLAWLESS COMFORT

# RUSH+



RUSH+



RUSH+ SMALL

FOAM & STRAP



TECHNOLOGIES

PLATINUM

WEIGHT

26 gr (46 gr with Foam & Strap)

KEY BENEFITS

Bi-material, ultra-flexible coloured temples

Available in two sizes

Available in hybrid version for extra protection

| USE | VERSION                   | REFERENCE   | LENS MARKING        | FRAME MARKING | COATING  | STANDARD    |
|-----|---------------------------|-------------|---------------------|---------------|----------|-------------|
| 🏠   | Clear                     | RUSHPPSI    | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear                     | RUSHPPSIB   | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear                     | RUSHPPSIG   | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear                     | RUSHPPSIO   | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear - Small             | RUSHPPSPSIS | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear - with Foam & Strap | RUSHPPSPSIF | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🌟   | Copper                    | RUSHPCSP    | 5-1.4 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🌟   | Copper - Small            | RUSHPCSPSPL | 5-1.4 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🌟   | Bronze                    | RUSHPTWI    | 5-2 ☞ 1 FT KN CE    | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🌟   | Smoke                     | RUSHPPSF    | 5-3.1 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🌟   | Smoke                     | RUSHPPSFY   | 5-3.1 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🌟   | Smoke - Small             | RUSHPPSPSFG | 5-3.1 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| -   | Foam & Strap Kit          | RUSHKITFS   | -                   | -             | -        | -           |
| -   | Strap <b>NEW</b>          | PSPUNISS01  | -                   | -             | -        | -           |



FINEST ALL-AROUND VISION AND PROTECTION WITHOUT COMPROMISE

# SILEX+



**TECHNOLOGY**

PLATINUM

**WEIGHT**

30 gr

**KEY BENEFITS**

Ultra wrap-around frame for perfect protection

FLEX 160° temples to adapt to all heads and reduce pressure points

Available in two sizes



ECO-PACK



CO-BRANDING

| USE | VERSION                   | REFERENCE   | LENS MARKING        | FRAME MARKING | COATING  | STANDARD    |
|-----|---------------------------|-------------|---------------------|---------------|----------|-------------|
| 🏠   | Clear                     | SILEXPPSI   | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear - Small <b>NEW</b>  | PSSSILP0402 | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠*  | Copper                    | SILEXPCSP   | 5-1.4 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🏠*  | Copper - Small <b>NEW</b> | PSSSILPC092 | 5-1.4 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| *   | Smoke                     | SILEXPPSF   | 5-3.1 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| *   | Smoke - Small <b>NEW</b>  | PSSSILP4262 | 5-3.1 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| -   | Strap <b>NEW</b>          | PSPUNISS01  | -                   | -             | -        | -           |

UNLIMITED FIELD OF VISION  
WITH LIGHTWEIGHT DESIGN

# NESS+



THIN TEMPLES



OPTIONAL RETAINER STRAP AND FOAM KIT

NON-SLIP NOSE BRIDGE

## NESS+



## FOAM AND STRAP



### TECHNOLOGY

PLATINUM

### WEIGHT

28 gr (48 gr with Foam & Strap)

### KEY BENEFITS

Ultra wrap-around frame for perfect protection

Non-slip bridge

Bi-material temples for better comfort

| USE | VERSION                            | REFERENCE  | LENS MARKING        | FRAME MARKING     | COATING  | STANDARD    |
|-----|------------------------------------|------------|---------------------|-------------------|----------|-------------|
| 🏠   | Clear                              | NESSPPSI   | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE     | PLATINUM | EN166-EN170 |
| 🏠   | Clear with Foam & Strap <b>NEW</b> | PSSNESF028 | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 3 4 FT CE | PLATINUM | EN166-EN170 |
| 🏠*  | Copper                             | NESSPCSP   | 5-1.4 ☞ 1 FT KN CE  | ☞ EN 166 FT CE    | PLATINUM | EN166-EN172 |
| * 🏠 | Smoke                              | NESSPPSF   | 5-3.1 ☞ 1 FT KN CE  | ☞ EN 166 FT CE    | PLATINUM | EN166-EN172 |
| -   | Foam & Strap Kit <b>NEW</b>        | PSPNESKB04 | -                   | ☞ EN166 3 4 FT CE | -        | -           |
| -   | Strap <b>NEW</b>                   | PSPUNISS01 | -                   | -                 | -        | -           |

VERSATILE VERSION FOR ENHANCED VISION IN ALL ENVIRONMENTS

# COBRA



WIDE RANGE OF LENS SHADES FOR MULTIPLE APPLICATIONS



UPPER PROTECTION



PANORAMIC VISION

## COBRA



## COBRA HYBRID



## COBRA TPR



ECO-PACK

## TECHNOLOGIES

PLATINUM HD  
PLATINUM LITE

## WEIGHT

28 gr - 45 gr with Foam & Strap  
48 gr with Foam & Strap (TPR)

## KEY BENEFITS

1 product = 2 uses (spectacles or goggles version)

Versatile and compact model

Pivoting temples to adjust and improve protection

| USE | VERSION                        | REFERENCE   | LENS MARKING        | FRAME MARKING        | COATING           | STANDARD    |
|-----|--------------------------------|-------------|---------------------|----------------------|-------------------|-------------|
| 🏠   | Clear                          | ■ COBPSI    | 2C-1.2 ☞ 1 BT KN CE | ☞ EN166 FT CE        | PLATINUM          | EN166-EN170 |
| 🏠   | Clear - with with Foam & Strap | ■ COBFSPSI  | 2C-1.2 ☞ 1 BT KN CE | ☞ EN 166 3 BT CE     | PLATINUM          | EN166-EN170 |
| 🏠   | Clear with Foam & Temples      | ■ COBFTPSI  | 2C-1.2 ☞ 1 BT KN CE | ☞ EN 166 FT CE       | PLATINUM          | EN166-EN170 |
| 🏠   | Clear with Foam & TPR Strap    | ■ COBTPRPSI | 2C-1.2 ☞ 1 BT KN CE | ☞ EN 166 3 4 5 BT CE | PLATINUM          | EN166-EN170 |
| 🏠   | HD                             | ■ COBHDI    | 2C-1.2 ☞ 1 BT CE    | ☞ EN166 FT CE        | AS/AF Hydrophobic | EN166-EN170 |
| 🏠   | Gradient Bronze                | ■ COBCONT   | 5-1.1/1.4 ☞ 1 BT CE | ☞ EN166 FT CE        | AS/AF             | EN166-EN172 |
| 🚧*  | Copper                         | ■ COBCSP    | 5-1.4 ☞ 1 BT KN CE  | ☞ EN166 FT CE        | PLATINUM          | EN166-EN172 |
| 🚧*  | Amber                          | ■ COBPSJ    | 2C-1.2 ☞ 1 BT CE    | ☞ EN166 FT CE        | PLATINUM LITE     | EN166-EN170 |
| 🚧*  | Smoke                          | ■ COBPSF    | 5-3.1 ☞ 1 BT KN CE  | ☞ EN166 FT CE        | PLATINUM          | EN166-EN172 |
| -   | Foam & Strap Kit               | KITFSCOB    | -                   | ☞ EN 166 3 BT CE     | -                 | -           |

ULTRA-LIGHTWEIGHT AND STYLISH  
FRAME FOR OPTIMUM COMFORT

# CONTOUR



## TECHNOLOGIES

PLATINUM  
POLARIZED

## WEIGHT

21 gr

## KEY BENEFITS

- Ultra-lightweight
- Thin TIPGRIP temples for better support
- Wraparound frame



| USE | VERSION           | REFERENCE   | LENS MARKING        | FRAME MARKING | COATING  | STANDARD    |
|-----|-------------------|-------------|---------------------|---------------|----------|-------------|
| 🏠   | Clear             | CONTPSI     | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠*  | Copper <b>NEW</b> | PSSCONT-C10 | 5-1.4 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| 🏠*  | Copper Flash      | CONTESP     | 5-1.4 ☞ 1 FT CE     | ☞ EN166 FT CE | AS/AF    | EN166-EN172 |
| *   | Smoke             | CONTPSF     | 5-2.5 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| *   | Polarized         | CONTPOL     | 5-3.1 ☞ 1 FT CE     | ☞ EN166 FT CE | AS       | EN166-EN172 |

PERFECT COMBINATION OF STYLE AND ABSOLUTE PROTECTION

# TRYON



**+**  
OPTIONAL  
RETAINER STRAP

**+**  
FLEX ADJUSTABLE  
NOSE BRIDGE

## TRYON



## STRAP



### TECHNOLOGIES

PLATINUM  
POLARIZED

### WEIGHT

26 gr (36g if worn with straps)

### KEY BENEFITS

Bi-material temples for better comfort  
FLEX 160° temples to adapt to all heads and reduce pressure points  
Half-frame with a sporty design



| USE | VERSION          | REFERENCE  | LENS MARKING        | FRAME MARKING | COATING  | STANDARD    |
|-----|------------------|------------|---------------------|---------------|----------|-------------|
| 🏠   | Clear            | TRYOPSI    | 2C-1.2 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN170 |
| 🏠*  | Copper           | TRYOCSP    | 5-1.4 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| *   | Smoke            | TRYOPSF    | 5-3.1 ☞ 1 FT KN CE  | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
| *   | Polarized        | TRYOPOL    | 5-3.1 ☞ 1 FT CE     | ☞ EN166 FT CE | AS       | EN166-EN172 |
| *   | Cobalt Flash     | TRYOFLASH  | 5-3.1 ☞ 1 FT CE     | ☞ EN166 FT CE | AS/AF    | EN166-EN172 |
| -   | Strap <b>NEW</b> | PSPUNISS01 | -                   | -             | -        | -           |



UNEQUALED OUTDOOR  
COMFORT IN STYLE

# MERCURO



SPORTY DESIGN



OPTIONAL STRAP  
FOR MORE SUPPORT



NON-SLIP NOSE  
BRIDGE

MERCURO

STRAP



## TECHNOLOGIES










PLATINUM  
POLARIZED

## WEIGHT

32 gr

## KEY BENEFITS

- Bi-material temples for better comfort
- Wide field of vision
- No metal parts

| USE                                                                                 | VERSION                                                                                       | REFERENCE                                                                                  | LENS MARKING       | FRAME MARKING | COATING  | STANDARD    |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------|---------------|----------|-------------|
|  |  Copper    |  MERCSP | 5-1.4 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
|  |  Smoke     |  MERPSF | 5-3.1 ☞ 1 FT KN CE | ☞ EN166 FT CE | PLATINUM | EN166-EN172 |
|  |  Polarized |  MERPOL | 5-3.1 ☞ 1 FT CE    | ☞ EN166 FT CE | AS       | EN166-EN172 |
| -                                                                                   | Strap <b>NEW</b>                                                                              | PSPUNISS01                                                                                 | -                  | -             | -        | -           |

STYLE, ERGONOMICS, AND PERFORMANCE FOR EXTENDED USE

# SILIUM+



ERGONOMICAL BI-MATERIAL TEMPLES

ADJUSTABLE NON-SLIP NOSE BRIDGE



## TECHNOLOGY

PLATINUM

## WEIGHT

21 gr

## KEY BENEFITS

Ultra-lightweight frame

All-round vision

Ultra thin temples that adapt perfectly to other PPE equipment

| USE | VERSION | REFERENCE | LENS MARKING       | FRAME MARKING | COATING  | STANDARD    |
|-----|---------|-----------|--------------------|---------------|----------|-------------|
|     | Clear   | SILPPSI   | 2C-1.2  1 FT KN CE | EN 166 FT CE  | PLATINUM | EN166-EN170 |
|     | Copper  | SILPCSP   | 5-1.4  1 FT KN CE  | EN 166 FT CE  | PLATINUM | EN166-EN172 |
|     | Smoke   | SILPPSF   | 5-3.1  1 FT KN CE  | EN 166 FT CE  | PLATINUM | EN166-EN172 |

WHEN PROTECTION AND LIGHTNESS  
COME TOGETHER

# B808



VENTED FRAME



NO METAL PARTS



## TECHNOLOGY

PLATINUM

## WEIGHT

28 gr

## KEY BENEFITS

- Upper and side protection
- Wrap-around fit
- Contemporary style



PERFORMANCE

| USE | VERSION | REFERENCE | LENS MARKING       | FRAME MARKING | COATING  | STANDARD    |
|-----|---------|-----------|--------------------|---------------|----------|-------------|
|     | Clear   | B808BLPSI | 2C-1.2  1 FT KN CE | EN166 FT CE   | PLATINUM | EN166-EN170 |

ULTRA-MODULAR AND INFINITELY  
ADAPTABLE EYE PROTECTION

# IRI-S



## TECHNOLOGIES

PLATINUM  
PLATINUM LITE

## WEIGHT

28 gr

## KEY BENEFITS

1 size fits all model  
Diopters available  
Pivoting temples

| USE | VERSION        | REFERENCE  | LENS MARKING        | FRAME MARKING  | COATING       | STANDARD    |
|-----|----------------|------------|---------------------|----------------|---------------|-------------|
| 🏠   | Clear          | IRIPSI     | 2C-1.2 ☞ 1 FT KN CE | ☞ EN 166 FT CE | PLATINUM      | EN166-EN170 |
| 🏠/* | Bronze         | IRITWI     | 5-2 ☞ 1 FT KN CE    | ☞ EN 166 FT CE | PLATINUM      | EN166-EN172 |
| ☼   | Smoke          | IRIPSF     | 5-3.1 ☞ 1 FT KN CE  | ☞ EN 166 FT CE | PLATINUM      | EN166-EN172 |
| 🏠   | Diopter 1.5    | IRIDPSI1.5 | 2C-1.2 ☞ 1 FT CE    | ☞ EN 166 FT CE | PLATINUM LITE | EN166-EN170 |
| 🏠   | Diopter 2      | IRIDPSI2   | 2C-1.2 ☞ 1 FT CE    | ☞ EN 166 FT CE | PLATINUM LITE | EN166-EN170 |
| 🏠   | Diopter 2.5    | IRIDPSI2.5 | 2C-1.2 ☞ 1 FT CE    | ☞ EN 166 FT CE | PLATINUM LITE | EN166-EN170 |
| 🏠   | Diopter 3      | IRIDPSI3   | 2C-1.2 ☞ 1 FT CE    | ☞ EN 166 FT CE | PLATINUM LITE | EN166-EN170 |
| -   | Optical Insert | IRISRXXIT  | -                   | -              | -             | -           |

ALL-AROUND OUTDOOR PROTECTION  
FOR ALL SITUATIONS

# BAXTER



COMFORT FOAM

SIDE SHIELDS

SPORTY DESIGN



## TECHNOLOGIES

PLATINUM  
POLARIZED

## WEIGHT

28 gr (53 gr with Foam & Strap)

## KEY BENEFITS

- High impact resistance (type B: 120m/s)
- Wrap-around frame
- Sealed frame



| USE | VERSION              | REFERENCE   | LENS MARKING        | FRAME MARKING                                                     | COATING  | STANDARD    |
|-----|----------------------|-------------|---------------------|-------------------------------------------------------------------|----------|-------------|
| 🏠   | Clear                | ■ BAXPSI    | 2C-1.2 ☞ 1 BT KN CE | Glasses: ☞ EN 166 FT CE<br>With Foam & strap: ☞ EN166 3 4 5 BT CE | PLATINUM | EN166-EN170 |
| 🌟   | Copper               | ■ BAXCSP    | 5-1.4 ☞ 1 BT KN CE  | Glasses: ☞ EN 166 FT CE<br>With Foam & strap: ☞ EN166 3 4 5 BT CE | PLATINUM | EN166-EN172 |
| ☼   | Smoke                | ■ BAXPSF    | 5-3.1 ☞ 1 BT KN CE  | Glasses: ☞ EN 166 FT CE<br>With Foam & strap: ☞ EN166 3 4 5 BT CE | PLATINUM | EN166-EN172 |
| ☼   | Polarized <b>NEW</b> | ■ BAXPOLWFS | 5-3.1 ☞ 1 FT CE     | ☞ EN166 FT CE                                                     | AS       | EN166-EN172 |
| -   | Foam & Strap Kit     | BAXKITFS    | -                   | -                                                                 | -        | -           |

SUPERIOR EYE PROTECTION  
WITH ROBUST DESIGN

# TRACKER

UPPER PROTECTION



INDIRECT VENTS



## TECHNOLOGY

PLATINUM

## WEIGHT

27 gr (52 gr with Foam & Strap)

## KEY BENEFITS

High impact resistance (type B: 120m/s)

Tipgrip bi-material temples

Vented frame



PERFECT PERFORMANCES

| USE | VERSION        | REFERENCE  | LENS MARKING       | FRAME MARKING                                                  | COATING  | STANDARD    |
|-----|----------------|------------|--------------------|----------------------------------------------------------------|----------|-------------|
|     | Clear          | TRACPSI    | 20-1.2  1 BT KN CE | Glasses:  EN 166 FT CE<br>With Foam & strap:  EN 166 3 4 BT CE | PLATINUM | EN166-EN170 |
|     | Amber          | TRACPSJ    | 5-1.4  1 BT KN CE  | Glasses:  EN 166 FT CE<br>With Foam & strap:  EN 166 3 4 BT CE | PLATINUM | EN166-EN172 |
|     | Smoke          | TRACPSF    | 5-2.5  1 BT KN CE  | Glasses:  EN 166 FT CE<br>With Foam & strap:  EN 166 3 4 BT CE | PLATINUM | EN166-EN172 |
| -   | Optical Insert | SOSTRACKER | -                  | -                                                              | -        | -           |

ULTIMATE PROTECTION IN THE MOST EXTREME ENVIRONMENTS

# ULTIM8



ADJUSTABLE TEMPLES

REINFORCED FULL FRAME



## TECHNOLOGY

PLATINUM

## WEIGHT

64 gr

## KEY BENEFITS

Sealed bi-material frame

Assembled with a spectacles/goggles conversion kit: increases impact resistance (type B: 120m/s)

Removable and adjustable strap

| USE   | VERSION | REFERENCE          | LENS MARKING                                                     | FRAME MARKING | COATING     | STANDARD |
|-------|---------|--------------------|------------------------------------------------------------------|---------------|-------------|----------|
| Clear | ULTIPSI | 2C-1.2  1 BT KN CE | Glasses:  EN 166 FT CE<br>With Foam & strap:  EN 166 3 4 5 BT CE |               | EN166-EN170 |          |



GO GREEN

# BOLLÉ SA GREEN. T

**WE ARE COMMITTED TO IMPROVING OUR ENVIRONMENTAL AND SOCIAL IMPACT THROUGH A LONG-TERM STRATEGY: GO GREEN.**

Integrating sustainability in the way we conduct business has never been more essential than today. As a company, Bollé Safety has decided to become more conscious of our environment, and that goes hand in hand with also being economically conscious - to always offer the best eye protection at the best price - and conscious of our customers who trust us. It is by applying such consciousness at every level of our society that we can reach long-term sustainability.

### **A COMPREHENSIVE STRATEGY**

That's why Bollé Safety has taken steps to improve its ESG



practices (see next page) and make a difference for the good of people and the planet. In 2019, we launched our Go Green strategy with the objective of becoming the leading company in terms of sustainability on the safety eyewear market.

Being conscious is a state of mind taken into account in every decision and on every level. Our next step is to become a certified B corporation.

### **WHAT GO GREEN MEANS TO US**

In order to reach our goals, we can count on our key strengths: innovation, communication and quality management. This is demonstrated by a series of concrete measures:

- All our products are packaged in **100% recyclable, BPA-free plastic** since 2005
- User instructions printed **directly on packaging** with **vegetable-based ink** to reduce waste
- Our new **eco-conscious Solis products** go even further, with their certified nylon frame made from **recycled fishing nets**





# SAFETY GOES THIS IS HOW.

**WHAT DOES ENVIRONMENTAL & SOCIAL GOVERNANCE MEAN FOR BOLLÉ? QUENTIN CHAPELAIN, THE GROUP'S ESG MANAGER, AND CAROLINE RODRIGUEZ, PRODUCT MANAGER, GIVE US SOME DETAILS.**

## 1 How would you define Environmental & Social Governance at Bollé Safety?

**Quentin:** It's one of Bollé Brands' development pillars, and a fundamentally transverse subject that touches upon marketing, legal, product development, sourcing... It's up to every company to determine how to maximize its positive impact. For us, it's about reducing our emissions, promoting the wellbeing of our employees and ensuring our suppliers uphold the same values.

## 2 What is the most important ESG aspect for Bollé Safety?

**Quentin:** Reducing our carbon footprint is our priority. This means measuring our emissions for every activity and then making impactful choices in terms of materials, manufacturing and transportation. Several initiatives have already been carried out, such as our Go Green line. My job is to coordinate our efforts.

## 3 How does this translate into Bollé Safety's products?

**Caroline:** We are among market leaders in terms of adopting sustainable solutions. We are working on three fronts: packaging, materials and energy consumption. For packaging, we are moving towards plastic-free, using less paper and optimizing conditioning. We are also adopting more eco-friendly materials and favoring the circular economy, for example by using fishing nets and castor oil as raw materials. Lastly, we are developing new molds requiring less energy for manufacturing and generating less waste.



SOLIS

- Our range of cleaning solutions was revamped **to switch to water-based formulations**
- Most of our coatings are **water-based** to reduce the use of chemicals
- We build our moulds in ways that **reduce energy consumption and waste** during injection

- We work with **nonprofits and social enterprises** to increase our positive impact locally
- We study all our suppliers' policies and processes **to ensure we work together towards a greener future**
- In order to provide protective eyewear to every worker, **we**

- design our products to combine affordability and quality**
- Bollé Safety fully abides by the Bollé Brands group's code of conduct and ethics for the **transparency of our action, communication and practices**

IDEAL OUTDOOR OFFSHORE PROTECTION

# HUSTLER



RECTANGULAR LENS SHAPE



NON-SLIP BRIDGE



**TECHNOLOGIES**

PLATINUM LITE  
POLARIZED

**WEIGHT**

31 gr

**KEY BENEFITS**

- TIPGRIP non-slip temples
- Large side shields
- Straight and flexible temples



| USE | VERSION                | REFERENCE | LENS MARKING | FRAME MARKING | COATING       | STANDARD    |
|-----|------------------------|-----------|--------------|---------------|---------------|-------------|
|     | Smoke                  | HUSTPSF   | 5-3.1  1 FT  | EN 166 FT     | PLATINUM LITE | EN166-EN172 |
|     | Polarized              | HUSTPOL   | 5-3.1  1 FT  | EN 166 FT     | PLATINUM LITE | EN166-EN172 |
|     | Cobalt Flash Polarized | HUSTFLASH | 5-3.1  1 FT  | EN 166 FT     | PLATINUM LITE | EN166-EN172 |

ECOPERFORMANCE ADAPTED  
TO OUTDOOR ENVIRONMENTS

# KOMET

**NEW**



NO METAL PARTS



SPORTY DESIGN



SUSTAINABLE

## TECHNOLOGIES




PLATINUM LITE  
POLARIZED

## WEIGHT

45 gr

## KEY BENEFITS

- Ergonomical flat temples
- Engineered with hot runner moulding
- Optional retainer strap and foam kit

| USE                                                                                            | VERSION    | REFERENCE    | LENS MARKING  | FRAME MARKING | COATING       | STANDARD    |
|------------------------------------------------------------------------------------------------|------------|--------------|---------------|---------------|---------------|-------------|
|  Smoke      | <b>NEW</b> | ■ PSSKOME408 | 5-3.1 1 FT CE | EN 166 FT CE  | PLATINUM LITE | EN166-EN172 |
|  Polarized  | <b>NEW</b> | ■ PSSKOMEP01 | 5-3.1 1 FT CE | EN 166 FT CE  | AS            | EN166-EN172 |
|  Fire Flash | <b>NEW</b> | ■ PSSKOMEF06 | 5-3.1 1 FT CE | EN 166 FT CE  | AS            | EN166-EN172 |
| - Strap                                                                                        | <b>NEW</b> | PSPUNISS01   | -             | -             | -             | -           |

SUSTAINABLE PROTECTION,  
COMFORT AND STYLE

# SOLIS GO GREEN

**NEW**



FULL FRAME FOR MORE  
COVERAGE & PROTECTION

ERGONOMICAL  
TEMPLES



NON-SLIP TEMPLES



## TECHNOLOGY

PLATINUM LITE

## WEIGHT

25 gr

## KEY BENEFITS

Recycled nylon frame made from fishing nets

Recycled & still 100% compliant to international safety standards

Only available in eco-packaging



ECO-PACK




SUSTAINABLE

| USE | VERSION          | REFERENCE    | LENS MARKING    | FRAME MARKING | COATING       | STANDARD    |
|-----|------------------|--------------|-----------------|---------------|---------------|-------------|
| 🏠   | Clear <b>NEW</b> | ■ PSSSOLI063 | 2C-1.2 ☞ 1 F CE | ☞ EN166 F CE  | PLATINUM LITE | EN166-EN170 |
| ★   | Smoke <b>NEW</b> | ■ PSSSOLI441 | 5-3.1 ☞ 1 F CE  | ☞ EN166 F CE  | PLATINUM LITE | EN166-EN172 |

ALL-AROUND VISION AND PROTECTION  
WITHOUT COMPROMISE

# SILEX



UPPER PROTECTION

BI-MATERIAL TEMPLES

NO METAL PARTS

## SILEX

## STRAP



## TECHNOLOGY

PLATINUM LITE

## WEIGHT

30 gr

## KEY BENEFITS

Large temples for increased lateral protection


Panoramic vision for extra visibility

FLEX 160° temples to adapt to all heads and reduce pressure points

| USE | VERSION          | REFERENCE  | LENS MARKING     | FRAME MARKING | COATING       | STANDARD    |
|-----|------------------|------------|------------------|---------------|---------------|-------------|
| 🏠   | Clear            | ■ SILEXPSI | 2C-1.2 ☞ 1 FT C€ | ☞ EN166 FT C€ | PLATINUM LITE | EN166-EN170 |
| 🏠*  | Amber <b>NEW</b> | ■ SILEXPSJ | 2C-1.2 ☞ 1 FT C€ | ☞ EN166 FT C€ | PLATINUM LITE | EN166-EN170 |
| *   | Smoke            | ■ SILEXPSF | 5-3.1 ☞ 1 FT C€  | ☞ EN166 FT C€ | PLATINUM LITE | EN166-EN172 |
| -   | Strap <b>NEW</b> | PSPUNISS01 | -                | -             | -             | -           |

PERFECT OPTICAL QUALITY  
WITH FLAWLESS COMFORT

# RUSH




OPTIONAL FOAM KIT



TRANSLUCENT FRAME



ADJUSTABLE  
NON-SLIP BRIDGE



## TECHNOLOGIES

PLATINUM LITE



## WEIGHT

25 gr

## KEY BENEFITS

No metal part  
Non-slip temples  
Upper protection

| USE | VERSION | REFERENCE | LENS MARKING   | FRAME MARKING | COATING           | STANDARD    |
|-----|---------|-----------|----------------|---------------|-------------------|-------------|
| 🏠   | Clear   | RUSHPSI   | 2C-1.2 1 FT CE | EN 166 FT CE  | PLATINUM LITE     | EN166-EN170 |
| 🏠   | HD      | RUSHDPI   | 2C-1.2 1 FT CE | EN 166 FT CE  | AS/AF-Hydrophobic | EN166-EN170 |
| ✳️  | Smoke   | RUSHPSF   | 5-3.1 1 FT CE  | EN 166 FT CE  | PLATINUM LITE     | EN166-EN172 |
| -   | Foam    | RUSHKITFS | -              | -             | -                 | -           |

PERFECT OPTICAL QUALITY  
WITH FLAWLESS COMFORT

TECHNOLOGY

PLATINUM LITE

WEIGHT

28 gr

KEY BENEFITS

Thin temples that adapt perfectly to other PPE equipment

Optional retainer strap and foam kit

Ultra wrap-around frame for perfect protection

# NESS



WRAPAROUND DESIGN



NON-SLIP BRIDGE



| USE | VERSION          | REFERENCE  | LENS MARKING     | FRAME MARKING | COATING       | STANDARD    |
|-----|------------------|------------|------------------|---------------|---------------|-------------|
| 🏠   | Clear            | ■ NESSPSI  | 2C-1.2 ☞ 1 FT CE | ☞ EN166 FT CE | PLATINUM LITE | EN166-EN170 |
| ☼   | Smoke            | ■ NESSPSF  | 5-3.1 ☞ 1 FT CE  | ☞ EN166 FT CE | PLATINUM LITE | EN166-EN172 |
| -   | Strap <b>NEW</b> | PSPUNISS01 | -                | -             | -             | -           |

STYLE AND VERSATILITY  
FOR COMPLETE  
PROTECTION

TECHNOLOGY

PLATINUM LITE

WEIGHT

23 gr


KEY BENEFITS

Comfortable straight temples

All-round field of vision

Adapted to narrow faces

# SLAM



LIGHTWEIGHT DESIGN



ULTRA WRAP-AROUND FIT



| USE | VERSION | REFERENCE | LENS MARKING     | FRAME MARKING  | COATING       | STANDARD    |
|-----|---------|-----------|------------------|----------------|---------------|-------------|
| 🏠   | Clear   | ■ SLAPSI  | 2C-1.2 ☞ 1 FT CE | ☞ EN 166 FT CE | PLATINUM LITE | EN166-EN170 |
| ☼   | Smoke   | ■ SLAPSF  | 5-3.1 ☞ 1 FT CE  | ☞ EN 166 FT CE | PLATINUM LITE | EN166-EN172 |

# THE EXCELLENCE PROGRAMME

## THE ULTIMATE SOLUTION FOR PRESCRIPTION SAFETY EYEWEAR

Did you know that one third of the world's population has vision problems? In fact, productivity loss due to poor vision costs billions every year. Both safety and productivity are largely improved when companies take action to provide their employees with the correct prescription safety eyewear, because doing your job with optimal vision and comfort makes

all the difference. We know that many companies do not have the expertise nor the time to manage their employees' prescription needs, and we're here to help. Bollé Safety offers a ready-to-use solution for businesses of all sizes: the Excellence programme.



## A SIMPLE PROCESS



Simple, reliable, and accessible, the Excellence prescription programme focuses on selecting, with the help of Bollé Safety's experts, a range of frames and coatings employees can choose from.

From there, a network of partner opticians provide local and customized services to each employee, guaranteeing a perfect fit of both lens and frame. Lastly, our programme includes the management of every employee's equipment through an online platform that simplifies the administrative process while ensuring optimal protection for all.



# NCE

## DESIGN, COMFORT AND EFFECTIVENESS

Because a great service requires a great product, the Excellence program comes with all of Bollé Safety's expertise and 130 years of innovation. We offer various lens materials that fit the specific needs of each sector, and all our frames are available within the Excellence programme, as well as our exclusive Lens Technologies: B-zen (anti-reflective & blue light protector) and PLATINUM (permanent double-sided anti-fog/anti-scratch), and MODULATOR (Photochromic lens changing shade depending on the quantity of UV rays).

The technical performance of our safety spectacles goes beyond standards to give your employees' eyes increased safety. Moreover, the comfort and design of our lenses and frames are studied to make employees want to wear them.

With effective and desirable protection and a simplified ordering procedure, Bollé Safety's Excellence prescription programme is a strategic choice to implement your HSE policy with peace of mind and effectively protect your people's vision in the workplace.



## FRAMES FOR ALL FACES

The wide range of frames available with Bollé Safety prescription eyewear allow our glasses to successfully adapt to all types of morphologies. Whatever the type of activity they engage in and the level of protection they require, we've got your employees covered.

Depending on protection requirements and morphology, we offer frames with a curve varying from 4 to 8.



**Slightly curved.**  
Recommended for all prescription lenses



**Curved.**  
Adapted to 85% of prescription lenses



**Very curved.**  
Adapted to 70% of prescription lenses

## WHY CHOOSE BOLLÉ SAFETY TO PROTECT AND CORRECT YOUR EMPLOYEES' EYESIGHT?

# €10000

per employee saved annually with a 5% productivity increase thanks to eyesight correction

Bad eyesight increases the risk of accidents and decreases productivity. Our wide range of solutions **meets 98% of prescription needs.**

The Excellence prescription programme is a simple, turnkey offer combining protection and correction for every employee.

We will recommend the best solution for every situation and manage orders via our secure webshop, for reliable and real-time management.

**We guarantee optimum lens quality and personal service with a network of local partner opticians.**



For more information, feel free to browse our Prescription Programme brochure and section on our website.

PURE LINES COMBINED WITH TECHNOLOGY AND STRENGTH

# SILIUM



## TECHNOLOGY

PLATINUM LITE

## WEIGHT

34 gr

## KEY BENEFITS

Metal frame

Adjustable non-slip nose bridge

FLEX 160° temples to adapt to all heads and reduce pressure points

| USE | VERSION | REFERENCE | LENS MARKING   | FRAME MARKING | COATING       | STANDARD    |
|-----|---------|-----------|----------------|---------------|---------------|-------------|
| 🏠   | Clear   | SILPSI    | 2-1.2 ☞ 1 FT ☞ | ☞ EN 166 FT ☞ | PLATINUM LITE | EN166-EN170 |
| ✳️  | Smoke   | SILPSF    | 5-2.5 ☞ 1 FT ☞ | ☞ EN 166 FT ☞ | PLATINUM LITE | EN166-EN172 |

OPTIMUM COMFORT WITH ROBUST WRAP-AROUND DESIGN

# CONTOUR METAL

FLEX 160° TEMPLES



TIPGRIP TEMPLES



## TECHNOLOGY

PLATINUM LITE

## WEIGHT

38 gr

## KEY BENEFITS

- Metal frame
- Adjustable non-slip nose bridge
- Increased upper protection with comfort foam

| USE | VERSION      | REFERENCE  | LENS MARKING     | FRAME MARKING  | COATING       | STANDARD    |
|-----|--------------|------------|------------------|----------------|---------------|-------------|
| 🏠   | Clear        | ■ CONTMPSI | 2C-1.2 ☞ 1 FT ☹️ | ☞ EN 166 FT ☹️ | PLATINUM LITE | EN166-EN170 |
| 🏠/* | Copper Flash | ■ CONTMESP | 5-1.4 ☞ 1 FT ☹️  | ☞ EN 166 FT ☹️ | AS            | EN166-EN172 |
| *   | Smoke        | ■ CONTMPSF | 5-3.1 ☞ 1 FT ☹️  | ☞ EN 166 FT ☹️ | PLATINUM LITE | EN166-EN172 |

**ECONOMICAL MODEL FOR GENUINE PROTECTION**

**TECHNOLOGY**

PLATINUM LITE

**WEIGHT**

28 gr

**KEY BENEFITS**

Wrap-around frame  
Reinforced bridge

# BANDIDO



| USE | VERSION  | REFERENCE | LENS MARKING     | FRAME MARKING | COATING       | STANDARD    |
|-----|----------|-----------|------------------|---------------|---------------|-------------|
| 🏠   | 👁️ Clear | ■ BANCI   | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |

**UNIVERSAL DESIGN WITH WRAP-AROUND PROTECTION**

**TECHNOLOGY**

PLATINUM LITE

**WEIGHT**

27 gr

**KEY BENEFITS**

«Stop-in» hinge system  
Lightweight  
No metal parts



ECO-PACK

# BL30



| USE | VERSION  | REFERENCE     | LENS MARKING     | FRAME MARKING | COATING       | STANDARD    |
|-----|----------|---------------|------------------|---------------|---------------|-------------|
| 🏠   | 👁️ Clear | ■ PSSBL30-010 | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |
| 🏠   | 👁️ Clear | ■ PSSBL30-013 | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |
| 🏠   | 👁️ Clear | ■ PSSBL30-014 | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |
| 🏠   | 👁️ Clear | ■ PSSBL30-016 | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |
| 🏠   | 👁️ Clear | ■ PSSBL30-047 | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |
| 🏠   | 👁️ Clear | □ PSSBL30-048 | 2C-1.2 ☞ 1 FT ☑️ | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN170 |
| ✳️  | 👁️ Smoke | ■ PSSBL30-408 | 5-2.5 ☞ 1 FT ☑️  | ☞ EN166 FT ☑️ | PLATINUM LITE | EN166-EN172 |

THIN AND LIGHTWEIGHT DESIGN FOR EXTENDED WEAR

TECHNOLOGY

PLATINUM LITE

WEIGHT

22 gr

KEY BENEFITS











- Adapted to thin faces
- Bi-material temples for better comfort
- Ultra thin temples that adapt perfectly to other PPE equipment

# ILUKA



 WRAP-AROUND SHAPE



| USE                                                                                | VERSION                                                                                  | REFERENCE                                                                                 | LENS MARKING                                                                                     | FRAME MARKING                                                                                  | COATING       | STANDARD    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------|-------------|
|   |  Clear  |  ILUPSI  | 2C-1.2  1 FT CE |  EN166 FT CE  | PLATINUM LITE | EN166-EN170 |
|  |  Smoke |  ILUPSF | 5-3.1  1 FT CE |  EN166 FT CE | PLATINUM LITE | EN166-EN172 |

LIGHTNESS AND STYLE WITH SUPERIOR PROTECTION

TECHNOLOGY

PLATINUM LITE

WEIGHT

23 gr

KEY BENEFITS

- Lightweight frame
- No metal parts
- Comfortable straight temples











# PRISM



UPPER PROTECTION

 ADAPTED TO THE FOOD-PROCESSING INDUSTRY



| USE                                                                                 | VERSION                                                                                   | REFERENCE                                                                                  | LENS MARKING                                                                                       | FRAME MARKING                                                                                   | COATING       | STANDARD    |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------------|-------------|
|  |  Clear |  PRIPSI | 2C-1.2  1 FT CE |  EN166 FT CE | PLATINUM LITE | EN166-EN170 |
|  |  Smoke |  PRIPSF | 5-2.5  1 FT CE  |  EN166 FT CE | PLATINUM LITE | EN166-EN172 |



# OVER THE GLASSES

When workers need to be able to keep their corrective glasses on, even in hazardous industrial environments, we've got you covered. Our range of over-the-glasses safety

eyewear guarantees the same level of protection as protective glasses, while leaving plenty of room for spectacles to be worn in total comfort.

PREMIUM ULTRA-COVERING PROTECTION

# TRYON OTG



OTG

## TECHNOLOGY

PLATINUM

## WEIGHT

41 gr

## KEY BENEFITS

- Adjustable and stretchable temples
- Flexible front protection
- Curved tips inside each temple providing comfort, stability and perfect support on the face

| USE | VERSION | REFERENCE   | LENS MARKING        | FRAME MARKING | COATING  | STANDARD    |
|-----|---------|-------------|---------------------|---------------|----------|-------------|
| 🏠   | 🕒 Clear | 📏 TRYOTGPSI | 2C-1.2 🏠 1 FT KN CE | 🏠 EN166 FT CE | PLATINUM | EN166-EN170 |
| ☀️  | 🕒 Smoke | 📏 TRYOTGPSF | 5-3.1 🏠 1 FT KN CE  | 🏠 EN166 FT CE | PLATINUM | EN166-EN172 |

COMPACT AND ATTRACTIVE  
ULTRA-COVERING  
PROTECTION

TECHNOLOGY

†PLATINUM LITE

WEIGHT

33 gr

KEY BENEFITS

2 uses: glasses and/or OTG

Ultra wrap-around frame  
for perfect protection

No metal parts



OTG

# OVERLIGHT



UPPER, LOWER  
& SIDE PROTECTION

WIDE FRAME

| USE | VERSION | REFERENCE | LENS MARKING | FRAME MARKING | COATING        | STANDARD    |
|-----|---------|-----------|--------------|---------------|----------------|-------------|
|     | Clear   | OVLITLPSI | 2C-1.2  1 FT | EN166 FT      | †PLATINUM LITE | EN166-EN170 |

ECONOMICAL ULTRA-  
COVERING PROTECTION

TECHNOLOGY

†PLATINUM LITE

WEIGHT

43 gr

KEY BENEFITS

Adjustable temples

Wide sideshields

Lateral indirect vents



OTG

# SQUALE



| USE | VERSION | REFERENCE | LENS MARKING | FRAME MARKING | COATING        | STANDARD    |
|-----|---------|-----------|--------------|---------------|----------------|-------------|
|     | Clear   | SQUPSI    | 2C-1.2  1 FT | EN166 FT      | †PLATINUM LITE | EN166-EN170 |



**COST-EFFECTIVE  
OVERSPECTACLES WITH  
WIDE SIDESHIELDS**

**WEIGHT**

41 gr

**KEY BENEFITS**

Wide side shields

Lateral vents

Compatible with all prescription glasses



OTG

# BL11



| USE | VERSION | REFERENCE | LENS MARKING   | FRAME MARKING | COATING | STANDARD    |
|-----|---------|-----------|----------------|---------------|---------|-------------|
|     | Clear   | BL11CI    | 1 FT CE        | EN166 FT CE   | AS      | EN166       |
|     | Clear   | BL11PI    | 2-1.2  1 FT CE | EN166 FT CE   | -       | EN166-EN170 |

**WIDE FIELD OF VISION  
WITH INCREASED EYE  
PROTECTION**

**WEIGHT**

41 gr

**KEY BENEFITS**

Lateral protection

Half frame design

Adjustable and stretchable temples



OTG

# BL13



| USE | VERSION | REFERENCE | LENS MARKING   | FRAME MARKING | COATING | STANDARD    |
|-----|---------|-----------|----------------|---------------|---------|-------------|
|     | Clear   | BL13CI    | 2-1.2  1 FT CE | EN166 FT CE   | AS      | EN166-EN170 |

# WHEN OTHERS SEE STRUGGLES YOU POSSIBILITIES



COMFORT. SENSE. PERCEPTION.

## DON'T JUST PROTECT YOUR EYES

WITH MULTIPLE TINTS AND TECHNOLOGIES TO CHOOSE FROM, OUR COMFORT SENSE PERCEPTION FILTERING TECHNOLOGY IS DESIGNED TO GO BEYOND PROTECTION AND ENHANCE PERFORMANCE. BY ENSURING OPTIMAL COMFORT AND EXCEPTIONAL VISUAL DEFINITION, NO MATTER WHAT YOUR PARTICULAR SITUATION ENTAILS, CSP LENSES SHIELD YOUR EYES WHILE BOOSTING YOUR SENSES IN ALL UV & LIGHT-SENSITIVE SITUATIONS, INCREASING THE PRECISION OF YOUR MOVEMENTS.

## IMPROVE WHAT YOU USE THEM FOR

### COMFORT

Visual comfort is all about contrast optimisation and color enhancement. Regardless of sunlight and glare, you want to keep enjoying precise details and color accuracy. With CSP, our lense tints are adapted to unique work environments, ushering in a new era of exceptional visual definition.

### SENSE

Sight is one of the key senses that ensures our safety. By perceiving their environment and analysing potential risks, workers are able to ensure their well-being. With EN166 rated lenses, CSP optimises vision even in UV & light-sensitive situations, guaranteeing maximum visual acuity.

### PERCEPTION

Thanks to CSP's unique properties, visual cognition is improved through ultra stimulation. By going beyond what the eye can see, we can take full control of our capacities, for optimal precision and ultimate performance enhancement.

# SEE TIES



| POLYCARBONATE LENSES | USE | LIGHT TRANSMISSION  | COMPATIBLE WITH PLATINUM |
|----------------------|-----|---------------------|--------------------------|
| HD                   |     | 96%                 | -                        |
| GRADIENT BRONZE      |     | 88%                 | -                        |
| MODULATOR            |     | Filter category 0-3 | -                        |
| AMBER                |     | 82%                 |                          |
| COPPER               |     | 65%                 |                          |
| COPPER FLASH         |     | 65%                 | -                        |
| POLARIZED            |     | 13%                 | -                        |
| SMOKE                |     | 13%                 |                          |

| POLYCARBONATE LENSES | USE | LIGHT TRANSMISSION | COMPATIBLE WITH PLATINUM |
|----------------------|-----|--------------------|--------------------------|
| QUARTZ               |     | 16%                |                          |
| BRONZE               |     | 40%                |                          |
| SILVER FLASH         |     | 13%                | -                        |
| COBALT FLASH         |     | 13%                | -                        |
| FIRE FLASH           |     | 13%                | -                        |
| WELDING 1.7          |     | 50%                | -                        |
| WELDING 3            |     | 13%                | -                        |
| WELDING 5            |     | 2%                 |                          |
| WELDING 5 GREY       |     | 2%                 |                          |

# LENSES ADAPTED TO ALL SITUATIONS


WHEN WORKING INDOORS, LIGHTING CAN BE TOO WEAK OR TOO AGGRESSIVE. ENSURING MAXIMUM CLARITY WHILE PROTECTING THE EYES FROM THE HARSHNESS OF ARTIFICIAL LIGHTING, OUR INDOOR LENSES OFFER ENHANCED COMFORT IN ANY TYPE OF INDOOR WORK ENVIRONMENT.

## EXCEPTIONAL CLARITY

Improves perception and clarity thanks to its exceptional visible light transmission rate (96%).

Increases wearer acceptance rate by offering greater visual comfort than conventional clear lenses.

With its hydrophobic technology used by the automotive industry, the HD coating guarantees perfect water resistance.



HD

## OPTIMAL WORKING COMFORT

Counters the aggressiveness of artificial lighting.

Reduces eye fatigue for optimum working comfort and improves contrast and relief.

Ideal for static workstations under neon light, halogens or other sources of blue light that can affect the eyes.



GRADIENT BRONZE

WORKERS WHO NAVIGATE BETWEEN INTERIOR AND EXTERIOR ENVIRONMENTS NEED VERSATILE LENSES THAT WILL ENSURE OPTIMAL VISION WHATEVER THE SITUATION. OUR INDOOR/OUTDOOR BEIGE TINTED LENSES PROVIDE THAT FLEXIBILITY.

## TINTS THAT MATCH THE LIGHT

Photochromic lenses darken automatically according to UV levels.

Optimise sight, protection and comfort throughout the day.

Available in brown or grey tints, with anti-scratch coating.




MODULATOR

## CLARITY IN DIM LIGHTING

Recommended for low light environments, both indoors and outdoors.

Increases contrast, particularly useful for night driving.

Filters out noxious blue light.




AMBER

## SEE THROUGH EXTREME CONDITIONS

Ideal for all activities requiring exposure to alternating high and low light.

Adapted to environments with extreme temperatures.

Blue light filtration combined with our exclusive PLATINUM anti-fog coating.




COPPER

## LET IN THE GOOD LIGHT

Provides optimal visible light transmission (over 60%).

Reduces glare and reflections when moving from a dark to well-lit environment.

Filters out noxious blue light.



COPPER FLASH

WHEN WORKING OUTDOORS, WORKERS REQUIRE INFALLIBLE PROTECTION AGAINST INTENSE LUMINOSITY AND UV RAYS TO ENSURE THE SUNLIGHT DOESN'T PREVENT THEM FROM ENJOYING OPTIMAL VISION.

**THE END OF GLARE**


Improves colour perception and visual comfort.  
Improves perception of contrast and depth.  
Reduces eye strain.



POLARIZED

**TOTAL UV BLOCKER**


Offers highly effective filtering of UVA and UVB rays (99.99%).  
Compatible with PLATINUM anti-fog coating.



SMOKE

**SOLAR TINT**


Improves depth perception and contrast by increasing the visual acuity.  
Blue light filtering, enhancing the color red. Reduces glares.



QUARTZ

**IDEAL FOR LOW LUMINOSITY**

Recommended for work outdoors at dawn or dusk.  
Improves contrasts in low light and absorbs over 75% of blue light.  
Compatible with PLATINUM anti-fog coating.




BRONZE

**PROTECTION IN THE HOT SUN**


Ideal for use in full sunshine.  
Protects wearer from heat.  
Can be combined with Polarized technology.



SILVER FLASH



COBALT FLASH




FIRE FLASH

WELDING REQUIRES ADEQUATE PROTECTION FROM INTENSE LUMINOSITY. BY COMBINING THAT PROTECTION WITH ENHANCED VISION, OUR LENSES PROVIDE WORKERS WITH HEIGHTENED GESTURE PRECISION AND THEREFORE EFFECTIVENESS.

**FOR WELDING ASSISTANTS**


50% light transmission. Protects from UV and infrared radiation.  
Adapted to torch soldering and brazing.



WELDING 1.7

**FOR GRINDING AND WELDING-BRAZING**

13% light transmission. Protects from UV and infrared radiation.  
Adapted to light cutting.



WELDING 3

**FOR WELDING-BRAZING AND OXY-CUTTING**

2% light transmission. Protects from UV and infrared radiation.  
Adapted to gas welding and oxygen cutting.  
Welding 5 grey offers a better color recognition for increased accuracy and effectiveness.



WELDING 5



WELDING 5 GREY

# GOGGLES

How do you provide absolute protection from splashes, droplets, dust and even gas while at the same time enjoying perfect vision?

With protective goggles

adapted to all types of industries, workers can fully focus on the job, relying on total safety and comfort even in the most extreme environments.

# SELECTION GUIDE



| MODEL             | VERSION | PAGES | Clear | Copper | Smoke | TECHNOLOGY    |
|-------------------|---------|-------|-------|--------|-------|---------------|
| <b>SUPERBLAST</b> |         | P 56  | +     | -      | -     | PLATINUM      |
| <b>PILOT</b>      |         | P 57  | +     | +      | +     | PLATINUM      |
| <b>ATOM</b>       |         | P 58  | +     | -      | -     | PLATINUM      |
| <b>BLAST</b>      |         | P 58  | +     | -      | -     | PLATINUM LITE |
| <b>COVERALL</b>   |         | P 59  | +     | -      | -     | PLATINUM LITE |
| <b>BL15</b>       |         | P 59  | +     | -      | -     | -             |
| <b>SUPERBLAST</b> |         | P 60  | +     | -      | -     | PLATINUM LITE |
| <b>ATOM</b>       |         | P 61  | +     | -      | -     | PLATINUM      |
| <b>BLAST</b>      |         | P 62  | +     | -      | -     | PLATINUM LITE |
| <b>COVERALL</b>   |         | P 63  | +     | -      | -     | PLATINUM LITE |
| <b>BL15</b>       |         | P 63  | +     | -      | -     | -             |

To prevent any risk of impact, chemical splashes, dust, gas or molten metal, Bollé Safety offers a wide range of safety goggles for protection against a whole range of different risks. One of the driving factors to take into consideration is the type of ventilation of your equipment. All our goggles have also been tested and approved to Optical Class 1 which means that they can be worn all day and every day without affecting your vision.

## VENTED FRAMES

The indirect ventilation prevents liquids from going directly into the goggle and affect the eyes of the worker. The ventilation holes of the goggle frame are generally very small and placed around the top and/or sides of the goggles. Indirect vented goggles can provide protection against impact (B), liquid splashes (3), large dust particles (4) and/or molten metal (9).

**Indirect vented safety goggles allow air to travel across the frame which can prevent the lens from fogging.**

## SEALED FRAMES

Our sealed goggles are designed to provide protection from impact (B), liquid splashes (3), large dust particles (4), fine dust particles and gases (5), and/or molten metal (9). Check that your equipment is suitable for the chemical risk identified, the symbol 3, 4 or 5 must be marked on the frame, according to the EN166 standard.

**Sealed goggles must be fitted. The better the seal of your goggles, the higher the level of protection against liquid splash and chemical risks.**

GREATER COMFORT AND PROTECTION  
WITH INDIRECT AIRFLOW

# SUPERBLAST

ADJUSTABLE STRAP



PIVOTING BUCKLE



OVERFLOW CHUTE



OTG



ECO-PACK

## TECHNOLOGIES

†PLATINUM  
†PLATINUM LITE

## WEIGHT

113 gr

## KEY BENEFITS

Flexible and clear frame for increased comfort

Intuitive and simple goggle-visor assembly system

Indirect vented frame

| USE | VERSION           | REFERENCE    | LENS MARKING         | FRAME MARKING       | COATING        | STANDARD    |
|-----|-------------------|--------------|----------------------|---------------------|----------------|-------------|
| 🏠   | Clear             | ■ SUPBLAPSI  | 2C-1.2 ☞ 19 BT CE    | ☞ EN166 3 4 9 BT CE | †PLATINUM LITE | EN166-EN170 |
| 🏠   | Clear (with foam) | ■ SUPBLFAPSI | 2C-1.2 ☞ 19 BT CE    | ☞ EN166 3 4 9 BT CE | †PLATINUM LITE | EN166-EN170 |
| 🏠   | Clear             | ■ SUPBLAPSIP | 2C-1.2 ☞ 19 BT KN CE | ☞ EN166 3 4 9 BT CE | †PLATINUM      | EN166-EN170 |
| -   | Visor             | ■ SUPBLV     | -                    | ☞ EN166 3 BT CE     | -              | EN166       |



OPTIMUM INNER AND OUTER PROTECTION  
WITH FLAWLESS COMFORT

# PILOT

INDIRECT VENTED FRAME

ADJUSTABLE BUCKLE

FIREPROOF STRAP AND  
SEALED FRAME AVAILABLE  
ON PILOFCSP



## TECHNOLOGY

PLATINUM

## WEIGHT

89 gr

## KEY BENEFITS

3 lens versions to cover all needs, indoor and/or outdoor use

Available with a neoprene strap for chemical environments

Bi-material frame for better comfort



OTG

| USE | VERSION                               | REFERENCE   | LENS MARKING          | FRAME MARKING         | COATING  | STANDARD    |
|-----|---------------------------------------|-------------|-----------------------|-----------------------|----------|-------------|
| 🏠   | Clear                                 | PILOPSI     | 2C-1.2 ☞ 1 BT 9 KN CE | ☞ EN166 3 4 9 BT CE   | PLATINUM | EN166-EN170 |
| 🏠*  | Copper                                | PILOCSP     | 5-1.4 ☞ 1 BT 9 KN CE  | ☞ EN166 3 4 9 BT CE   | PLATINUM | EN166-EN172 |
| * 🏠 | Smoke                                 | PILOPSF     | 5-3.1 ☞ 1 BT 9 KN CE  | ☞ EN166 3 4 9 BT CE   | PLATINUM | EN166-EN172 |
| 🏠   | Clear with Neoprene strap <b>NEW</b>  | PSGPIL2-L16 | 2C-1.2 ☞ 1 BT 9 KN CE | ☞ EN166 3 4 9 BT CE   | PLATINUM | EN166-EN170 |
| 🏠*  | Copper with Neoprene strap <b>NEW</b> | PSGPIL2-L17 | 5-1.4 ☞ 1 BT 9 KN CE  | ☞ EN166 3 4 9 BT CE   | PLATINUM | EN166-EN172 |
| 🏠*  | Copper-Firefighter                    | PILOFCSP    | 5-1.4 ☞ 1 BT 9 KN CE  | ☞ EN166 3 4 5 9 BT CE | PLATINUM | EN166-EN172 |

**FEATHERWEIGHT AND COMPACT GOGGLES WITH INDIRECT AIR FLOW**

**TECHNOLOGY**

PLATINUM

**WEIGHT**

74 gr

**KEY BENEFITS**

Ultra lightweight and compact goggles

Comfortable and flexible frame

Indirect vented frame



OTG

# ATOM



PIVOTING BUCKLE

ADJUSTABLE STRAP

| USE | VERSION          | REFERENCE | LENS MARKING        | FRAME MARKING   | COATING  | STANDARD    |
|-----|------------------|-----------|---------------------|-----------------|----------|-------------|
| 🏠   | Clear            | ATOAPSI   | 2C-1.2 ☞ 1 BT KN CE | ☞ EN166 3 BT CE | PLATINUM | EN166-EN170 |
| 🏠   | Clear -with foam | ATOFAPSI  | 2C-1.2 ☞ 1 BT KN CE | ☞ EN166 3 BT CE | PLATINUM | EN166-EN170 |
| -   | Visor            | ATOV      | -                   | ☞ EN166 3 BT CE | -        | EN166       |
| -   | Optical insert   | SOSATOM   | -                   | -               | -        | EN166       |

**ALL-AROUND VISION WITH AIR FLOW CIRCULATION**

**TECHNOLOGY**

PLATINUM LITE

**WEIGHT**

113 gr

**KEY BENEFITS**

Intuitive and simple goggle-visor assembly system

Possible to wear a half-mask respirator

Indirect vented frame



OTG

# BLAST



PANORAMIC FIELD OF VIEW

ADJUSTABLE STRAP

| USE | VERSION          | REFERENCE | LENS MARKING      | FRAME MARKING     | COATING       | STANDARD    |
|-----|------------------|-----------|-------------------|-------------------|---------------|-------------|
| 🏠   | Clear            | BLAPSI    | 2-1.2 ☞ 1 BT 9 CE | ☞ EN166 3 9 BT CE | PLATINUM LITE | EN166-EN170 |
| 🏠   | Clear -with foam | BLFAPSI   | 2-1.2 ☞ 1 BT 9 CE | ☞ EN166 3 9 BT CE | PLATINUM LITE | EN166-EN170 |
| -   | Visor            | BLV       | -                 | ☞ EN166 3 BT CE   | -             | EN166       |
| -   | Optical insert   | SOSBLAST  | -                 | -                 | -             | EN166       |

VERSATILE AND EFFECTIVE  
EYE PROTECTION WITH  
INDIRECT AIR FLOW

#### TECHNOLOGY

PLATINUM LITE

#### WEIGHT

67 gr

#### KEY BENEFITS

Comfortable, flexible frame

Economical and effective

Indirect vented frame



OTG

# COVERALL



| USE | VERSION | REFERENCE                        | LENS MARKING    | FRAME MARKING   | COATING       | STANDARD    |
|-----|---------|----------------------------------|-----------------|-----------------|---------------|-------------|
|     | Clear   | <input type="checkbox"/> COVARSI | 2C-1.2  1 BT CE | EN166 3 4 BT CE | PLATINUM LITE | EN166-EN170 |

THE VENTED GOGGLES  
SUITABLE FOR ALL

#### WEIGHT

74 gr

#### KEY BENEFITS

Available with anti-fog coating

Adjustable tightening elastic

Flexible and vented frame

# BL15



| USE | VERSION | REFERENCE                         | LENS MARKING | FRAME MARKING     | COATING | STANDARD |
|-----|---------|-----------------------------------|--------------|-------------------|---------|----------|
|     | Clear   | <input type="checkbox"/> BL15API  | 1 BT 9 CE    | EN166 3 4 9 BT CE | -       | EN166    |
|     | Clear   | <input type="checkbox"/> BL15APSI | 1 BT CE      | EN166 3 4 BT CE   | AF      | EN166    |

GREATER COMFORT WITH  
SUPERIOR PROTECTION

# SUPERBLAST

ADJUSTABLE STRAP



PIVOTING BUCKLE



OVERFLOW CHUTE



OTG



ECO-PACK

## TECHNOLOGY

PLATINUM LITE

## WEIGHT

113 gr

## KEY BENEFITS

Flexible and clear frame for increased comfort

Intuitive and simple goggle-visor assembly system

Sealed frame

| USE                                                                                 | VERSION                                                                                   | REFERENCE                                                                                     | LENS MARKING                                                                                                                                                                         | FRAME MARKING                                                                                                                                                                             | COATING       | STANDARD    |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------|
|  |  Clear |  SUPBLEPSI | 2C-1.2  19 BT  |  EN166 3 4 5 9 BT  | PLATINUM LITE | EN166-EN170 |
| -                                                                                   | Visor                                                                                     |  SUPBLV    | -                                                                                                                                                                                    |  EN166 3 BT       | -             | EN166       |

FEATHERWEIGHT AND COMPACT GOGGLES  
WITH SUPERIOR PROTECTION

# ATOM



PIVOTING BUCKLE

ADJUSTABLE STRAP



OTG

## TECHNOLOGY

PLATINUM

## WEIGHT

71 gr

## KEY BENEFITS

- Ultra lightweight and compact goggles
- Comfortable and flexible frame
- Sealed frame

| USE | VERSION         | REFERENCE | LENS MARKING        | FRAME MARKING       | COATING  | STANDARD    |
|-----|-----------------|-----------|---------------------|---------------------|----------|-------------|
| 🏠   | Clear-with foam | ■ ATOEPSI | 2C-1.2 ☞ 1 BT KN C€ | ☞ EN166 3 4 5 BT C€ | PLATINUM | EN166-EN170 |
| -   | Visor           | ■ ATOV    | -                   | ☞ EN166 3 BT C€     | -        | EN166       |
| -   | Optical insert  | SOSATOM   | -                   | -                   | -        | EN166       |

ALL-AROUND VISION WITH  
SUPERIOR PROTECTION

# BLAST



OTG

## TECHNOLOGY

PLATINUM LITE

## WEIGHT

113 gr

## KEY BENEFITS

Intuitive and simple goggle-visor assembly system

Possible to wear a half-mask respirator

Sealed frame

| USE | VERSION        | REFERENCE | LENS MARKING      | FRAME MARKING         | COATING       | STANDARD    |
|-----|----------------|-----------|-------------------|-----------------------|---------------|-------------|
| 🏠   | Clear          | BLEPSI    | 2-1.2 ☞ 1 BT 9 €€ | ☞ EN166 3 4 5 9 BT €€ | PLATINUM LITE | EN166-EN170 |
| -   | Visor          | BLV       | -                 | ☞ EN166 3 BT €€       | -             | EN166       |
| -   | Optical insert | SOSBLAST  | -                 | -                     | -             | EN166       |

VERSATILE AND EFFECTIVE  
EYE PROTECTION WITH  
INDIRECT AIR FLOW

#### TECHNOLOGY

PLATINUM LITE

#### WEIGHT

67 gr

#### KEY BENEFITS

Comfortable, flexible frame

Economical and effective

Sealed frame



OTG

# COVERALL



ADJUSTABLE  
THIN STRAP

| USE | VERSION | REFERENCE                        | LENS MARKING       | FRAME MARKING     | COATING  | STANDARD    |
|-----|---------|----------------------------------|--------------------|-------------------|----------|-------------|
|     | Clear   | <input type="checkbox"/> COVERSI | 2C-1.2  1 BT KN CE | EN166 3 4 5 BT CE | PLATINUM | EN166-EN170 |

THE SEALED GOGGLES  
SUITABLE FOR ALL

#### WEIGHT

74 gr

#### KEY BENEFITS

Available with anti-fog coating

Adjustable tightening elastic

Sealed frame

# BL15



| USE | VERSION | REFERENCE                            | LENS MARKING | FRAME MARKING     | COATING | STANDARD |
|-----|---------|--------------------------------------|--------------|-------------------|---------|----------|
|     | Clear   | <input type="checkbox"/> PSGBL15-A02 | 1 BT CE      | EN166 3 4 5 BT CE | AF      | EN166    |

# THE SUBTLE OF PROTECTIVE EYEWEAR DESIGN

Creating protective eyewear that's comfortable and stylish while complying with standards, regulations and tastes that differ globally is a constant challenge for Bollé Safety's design teams. Rubina Meunier, VP of Brand, sheds some light on how we balance it all.

## HOW DOES THE DESIGN PROCESS WORK FOR SAFETY EYEWEAR?

"Well, first and foremost, we place the user at the heart of our product development, so everything starts with user needs. We're fortunate enough to have real customer intimacy, and we're always paying attention to changes happening in professions, but also in society overall. We collect feedback through customer satisfaction surveys once a year, and we work with focus groups and stay on top of technological news. On top of all that, regulations and standards are constantly evolving, and our products have to stay compliant. The challenge is to balance these constraints with making comfortable, efficient and stylish products."

## WHAT IS YOUR PRIMARY OBJECTIVE WHEN DESIGNING A PRODUCT?

"That people actually wear them! It may seem self-evident, but in practice, lots of protective eyewear often stays in the pocket. How do you make this equipment attractive so that users really adopt them? You basically have to design protective eyewear that doesn't look like protective eyewear, that users feel comfortable wearing for hours on end. Our brand has a strong image, and the Bollé Safety style is recognizable, it's in our DNA. Making products that are stylish, sporty, even sexy and accessible to all, that's all part of our heritage and influences the way we design our products."



“

Our brand has a strong image, and the Bollé Safety style is recognizable, it's in our DNA.

”



# ART IVE SIGN



**ARE THERE ANY SPECIFIC ASPECTS TO THIS TYPE OF PRODUCT DESIGN IN PARTICULAR?**

“I would say working with standards and regulations. We have to be able to go beyond them, conforming to highly technical characteristics while making eyewear that can be worn for a long time because it’s mandatory, and therefore has to be acceptable and comfortable, with good ergonomics, which means getting the pressure points just right, etc. These aspects are specific to our industry.”

**BOLLÉ SAFETY PRODUCTS HAVE TO FIT A WIDE RANGE OF REQUIREMENTS AND TASTES. HOW DO YOU ACHIEVE THAT?**

“Because we’re a global brand that’s at the service of all workers, reaching beyond our core domains of industrial and prescription eyewear, we have to adapt to different cultures, different fits, different uses, so that our products are equally appreciated in Asia Pacific,

Latin American or European regions. We’re able to do that thanks to our wide range of products, which is where our added value resides. Our capacity to create innovations for a specific client, conceiving a product for them from A to Z, is also one of our strengths that we owe to our long-standing specific expertise in protective eyewear. To do all that, we’ve internalized our engineering, design, product creativity and innovation pool through our EPIC (Excellence in Product Innovation and Creativity) initiative and centers. It’s the programme that drives all things design and innovation at Bollé Brands, so it’s at the core of our business strategy, allowing us to develop the best, most innovative, performance-driven products available in the market to all our customers.”

“

It’s the programme that drives all things design and innovation at Bollé Brands, so it’s at the core of our business strategy, allowing us to develop the best, most innovative, performance-driven products available in the market to all our customers.

”



A close-up photograph of a welder in profile, wearing a full-face shield and protective gear. The welder is focused on their work, with sparks visible at the bottom of the frame. The background is a blurred industrial setting.

# FACE SHIELDS

Face shields are the type of safety eyewear that provides the highest level of protection from hazardous projections,

as they cover the whole face, reducing risks not only to the eyes, but also to the mouth.

COMPLETE HEAD AND FACE PROTECTION  
AGAINST ELECTRICAL RISKS

# SPHERE



180° FIELD OF VISION



TILTING SHIELD



ADJUSTABLE HEADGEAR



OTG

## WEIGHT

355 gr

## KEY BENEFITS

- Resistant to high energy impact
- 20.5 x 39.4 cm polycarbonate shield
- Protection against electrical short circuit arcs

| USE | VERSION           | REFERENCE | LENS MARKING        | FRAME MARKING     | COATING | STANDARD    |
|-----|-------------------|-----------|---------------------|-------------------|---------|-------------|
|     | Clear             | SPHERPI   | 2C-1.2  1 AT 8 9 CE | EN166 3 8 9 AT CE | -       | EN166-EN170 |
|     | Clear -Extra lens | FASPIERPI | 2C-1.2  1 AT 8 9 CE | -                 | -       | EN166-EN170 |

FULL FACE COVERAGE ADAPTED  
TO MOST INDUSTRIAL RISKS

# IFS20

**NEW**



24 X 32 FLIP UP  
FACE SHIELD



LIGHTWEIGHT







OTG

## WEIGHT

274 gr

## KEY BENEFITS

Adjustable headband  
Tilting shield  
Easy lens replacement

| USE                                                                                 | VERSION                                                                                   | REFERENCE                                                                                      | LENS MARKING   | FRAME MARKING | COATING | STANDARD    |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------|---------------|---------|-------------|
|  |  Clear |  PFSIFS2109 | 2C-1.2 ☹ 1 B ☹ | ☹ EN166 3 B ☹ | -       | EN166-EN170 |
|  | Clear -Extra lens                                                                         | PSLIFS2102                                                                                     | 2C-1.2 ☹ 1 B ☹ | -             | -       | EN166-EN170 |

ULTRA WRAP-AROUND FIT FOR ALL USES  
IN ABRASIVE ENVIRONMENTS

# TILTING SHIELD

  
POLYPROPYLENE  
BROWGUARD



  
ADJUSTABLE  
HEADBAND



OTG

## TECHNOLOGY

PLATINUM LITE

## WEIGHT

















200 gr

## KEY BENEFITS

Protection against electrical short circuit arcs (RELRSI version)

Some versions with acetate lens

19 x 29 cm tilting shield

| USE                                                                                 | VERSION                                                                                                       | REFERENCE                                                                                  | LENS MARKING                                                                                          | FRAME MARKING                                                                                      | COATING       | STANDARD    |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------|-------------|
|  |  Clear -Extra PC Lens      | FARELPSI                                                                                   |  1 F CE            | -                                                                                                  | PLATINUM LITE | EN166       |
|  |  Clear -Extra Acetate Lens | FARELRSI                                                                                   | 2C-1.2  2 B 8 N CE | -                                                                                                  | AF            | EN166-EN170 |
|  |  Clear -PC                 |  RELPSI |  1 F CE            |  EN166 3 B 8 CE | PLATINUM LITE | EN166       |
|  |  Clear -Acetate            |  RELRSI | 2C-1.2  2 B 8 N CE |  EN166 3 B 8 CE | AF            | EN166-EN170 |

A close-up photograph of a Bolle Safety welding helmet. The helmet is dark with a clear, reflective lens. The brand name 'bolle SAFETY' is printed in white on the side of the helmet. In the background, a bright welding arc is visible, creating a large amount of sparks and a hazy, yellowish-green atmosphere. The lighting is dramatic, with the bright light from the welding process illuminating the scene.

bolle  
SAFETY

# WELDING

Thanks to our long-standing experience in the field of protective eyewear for welding, workers are guaranteed complete safety from

projections, high brightness and flashes, while at the same time enjoying comfort, ease of use and perfect vision for optimal precision on the job.

# SELECTION GUIDE


| MODEL                                  | VOLT                    | FUSION+                 | FLASH                   |
|----------------------------------------|-------------------------|-------------------------|-------------------------|
| <b>ELECTRO-OPTICAL</b>                 | TRUE COLOR              | TRUE COLOR              | TRUE COLOR              |
| <b>FILTER SIZE</b>                     | 110x90x9 mm             | 110x90x9 mm             | 110x90x9.8 mm           |
| <b>FIELD OF VISION</b>                 | 96x39 mm                | 100x53 mm               | 98x87 mm                |
| <b>CE OPTICAL CLASS</b>                | 1/1/1/2                 | 1/1/1/2                 | 1/1/1/1                 |
| <b>DETECTION SENSORS</b>               | 2                       | 4                       | 4                       |
| <b>GRINDING FEATURE</b>                | Yes (external)          | Yes (external)          | Yes (external)          |
| <b>SENSITIVITY ADJUSTMENT</b>          | Yes (internal)          | Yes (internal)          | Yes (internal)          |
| <b>VARIABLE SHADES</b>                 | 4/9-13 (external)       | 4/5-8/ 9-13 (external)  | 4/5-8/9-13 (internal)   |
| <b>SHADE RANGE</b>                     | -                       | 5-8/9-13 (internal)     | 5-8/9-13 (internal)     |
| <b>REACTION TIME</b>                   | 0.1 to 1s (internal)    | 0.1 to 1s (internal)    | 0.1 to 1s (internal)    |
| <b>UV/IR PROTECTION</b>                | Permanent               | Permanent               | Permanent               |
| <b>REPLACEABLE BATTERY</b>             | Yes<br>(CR2032 battery) | Yes<br>(CR2032 battery) | Yes<br>(CR2450 battery) |
| <b>LOW BATTERY INDICATOR</b>           | Yes                     | Yes (red light)         | Yes (red light)         |
| <b>ERGONOMIC SHAPE-MEMORY HEADBAND</b> | No                      | Yes                     | Yes                     |
| <b>PROTECTIVE COVER INCLUDED</b>       | No                      | Yes                     | Yes                     |
| <b>WARRANTY</b>                        | 2 years                 | 2 years                 | 2 years                 |

## FILTER PERFORMANCE

Filter performance is measured by its optical class consisting of 4 numbers, for example 1/1/1/1 or 1/1/1/2 standing for, in order:

- ⊕ **The optical quality** (minimum optical deformation in class 1)
- ⊕ **Light diffusion** (maximum accuracy in class 1)
- ⊕ **Consistency** (minimum image disturbance in class 1)
- ⊕ **Dependency angle** (maximum field of vision in class 1)

## TRUE COLORS



Our welding range is entirely researched and designed to meet current standards as well as comfort and style rules. All our welding helmets are fitted with active darkening filters (ADF) for all types of welding (Coated electrode arc, MIG/MAG, TIG, PLASMA) for effective protection from UVs and infrared.

**The new TRUE COLOR technology on our active filters makes it possible to improve colour recognition while reducing eye fatigue and increasing visibility of the welding area.**

EXTENSIVE WELDING VERSION WITH  
ERGONOMIC SHAPE-MEMORY HEADBAND

*Flash*

# FLASH



REACTION TIME: 0,10 MS



4 INDEPENDENT  
DETECTION SENSORS



FILTER 5-8 / 9-13



**OPTICAL CLASS:**  
1/1/1

## TECHNOLOGY

True color



## WEIGHT

562 gr

## KEY BENEFITS

XXL 98 x 87 mm field of vision

Ergonomic shape-memory headband

Electro-optical filter

Interior adjustments: shade, sensitivity,  
time to return to clear, grinding/welding  
function

| REFERENCE   | DESCRIPTION                                                 | STANDARD          |
|-------------|-------------------------------------------------------------|-------------------|
| ■ FLASHV    | Full electro-optical helmet with variable shades 5-8 / 9-13 | EN166-EN175-EN379 |
| B9V         | Electro-optical filter with variable shades 5-8 / 9-13      | EN166-EN175-EN379 |
| COVFLASHEXT | 118 x 136 mm outer protective screen                        | EN166             |
| COVFLASHINT | 105 x 92 mm inner protective screen                         | EN166             |
| STFUSP      | Ergonomical shape-memory headband                           | CE                |
| BESM        | Sweatband                                                   | CE                |



WHEN PERFORMANCE, SAFETY  
AND STYLE COME TOGETHER

**Fusion+**

# FUSION+



REACTION TIME: 0,10 MS



4 INDEPENDENT  
DETECTION  
SENSORS



FILTER 5-8 / 9-13



LOW BATTERY  
INDICATOR AND  
REPLACEABLE  
BATTERY



## TECHNOLOGY

True color



## WEIGHT

525 gr

## KEY BENEFITS

XL 100 x 53 mm field of vision

Ergonomic shape-memory headband

Electro-optical filter

Permanent protection against UV & IR



**OPTICAL CLASS:**  
1/1/2

| REFERENCE  | DESCRIPTION                                                     | STANDARD          |
|------------|-----------------------------------------------------------------|-------------------|
| FUSV       | Full electro-optical helmet with variable shades 4 / 5-8 / 9-13 | EN166-EN175-EN379 |
| B7VP       | Electro-optical filter with variable shades 4 / 5-8 / 9-13      | EN166-EN175-EN379 |
| COVFUSPEXT | 115 x 104 mm outer protective screen                            | EN166             |
| COVFUSPINT | 105 x 58 mm inner protective screen                             | EN166             |
| STFUSP     | Ergonomical shape-memory headband                               | CE                |
| BESM       | Sweatband                                                       | CE                |

ROBUST PROTECTION  
IN STYLE

**Volt**

# VOLT



REACTION TIME: 0,10 MS



LOW BATTERY INDICATOR  
AND REPLACEABLE BATTERY



2 INDEPENDENT  
DETECTION SENSORS



**OPTICAL CLASS:**  
1/1/2

## TECHNOLOGY

True color



## WEIGHT

480 gr

## KEY BENEFITS

M 96 x 39 mm field of vision

Adjustable sensitivity of the return  
to a clear state

Adjustable headband

Permanent protection against UV & IR

| REFERENCE  | DESCRIPTION                                               | STANDARD              |
|------------|-----------------------------------------------------------|-----------------------|
| ■ VOLT V   | Full electro-optical helmet with variable shades 4 / 9-13 | EN166 - EN175 - EN379 |
| B6V        | Electro-optical filter with variable shades 4 / 9-13      | EN166 - EN175 - EN379 |
| COVFUSPEXT | 115 x 104 mm outer protective screen                      | EN166                 |
| COVOINT    | 102.5 x 42.3 mm inner protective screen                   | EN166                 |
| STFUSP     | Adjustable headband                                       | CE                    |
| BESM       | Sweatband                                                 | CE                    |

FLEXIBLE FRAME WITH GREY SHADE  
FOR INCREASED COMFORT AND ACCURACY

# SUPERBLAST



ADJUSTABLE STRAP



PIVOTING BUCKLE



INTUITIVE AND SIMPLE  
GOGGLE-VISOR  
ASSEMBLY SYSTEM



OTG

## TECHNOLOGY

PLATINUM LITE

## WEIGHT

113 gr

## KEY BENEFITS

- Flexible frame for increased comfort
- Grey shade for improved colour recognition and accuracy
- Shade 5 for welding-brazing and oxy-cutting applications

| USE | VERSION        | REFERENCE   | LENS MARKING | FRAME MARKING       | COATING       | STANDARD    |
|-----|----------------|-------------|--------------|---------------------|---------------|-------------|
|     | Welding 5 Grey | SUPBLAWPCC5 | 5 ☞ 19 BT CE | ☞ EN166 3 4 9 BT CE | PLATINUM LITE | EN166-EN169 |
| -   | Visor          | SUPBLV      | -            | ☞ EN166 3 BT CE     | -             | EN166       |

# BANDIDO



## WEIGHT

28 gr

# TRACKER II



## WEIGHT

52 gr



# SLAM



## WEIGHT

## TECHNOLOGY

23 gr



# SQUALE



## WEIGHT

47 gr



OTG

# COVERSAL



## WEIGHT

91 gr



Welding assistants

SHADE 1.7



Grinding & Welding-brazing

SHADE 3



Welding-brazing & oxy-cutting applications

SHADE 5

| MODEL             | USE                                        | VERSION     | REFERENCE   | LENS MARKING | FRAME MARKING       | COATING | STANDARD    |
|-------------------|--------------------------------------------|-------------|-------------|--------------|---------------------|---------|-------------|
| <b>SLAM</b>       | Welding assistants                         | Welding 1.7 | ■ SLAWPCC2  | 1.7 ☹ 1 FT ☹ | ☹ EN 166 FT ☹       | AS      | EN166-EN169 |
| <b>TRACKER II</b> | Welding assistants                         | Welding 1.7 | ■ TRACWPCC2 | 1.7 ☹ 1 FT ☹ | ☹ EN 166 FT ☹       | AS      | EN166-EN169 |
| <b>SLAM</b>       | Grinding & Welding-brazing                 | Welding 3   | ■ SLAWPCC3  | 3 ☹ 1 FT ☹   | ☹ EN 166 FT ☹       | AS      | EN166-EN169 |
| <b>TRACKER II</b> | Grinding & Welding-brazing                 | Welding 3   | ■ TRACWPCC3 | 3 ☹ 1 FT ☹   | ☹ EN 166 FT ☹       | AS      | EN166-EN169 |
| <b>BANDIDO</b>    | Welding-brazing & oxy-cutting applications | Welding 5   | ■ BANWPCC5  | 5 ☹ 1 FT ☹   | ☹ EN166 FT ☹        | AS      | EN166-EN169 |
| <b>SLAM</b>       | Welding-brazing & oxy-cutting applications | Welding 5   | ■ SLAWPCC5  | 5 ☹ 1 FT ☹   | ☹ EN 166 FT ☹       | AS      | EN166-EN169 |
| <b>TRACKER II</b> | Welding-brazing & oxy-cutting applications | Welding 5   | ■ TRACWPCC5 | 5 ☹ 1 FT ☹   | ☹ EN 166 FT ☹       | AS      | EN166-EN169 |
| <b>SQUALE</b>     | Welding-brazing & oxy-cutting applications | Welding 5   | ■ SQUWPCC5  | 5 ☹ 1 S ☹    | ☹ EN166 S ☹         | AS      | EN166-EN169 |
| <b>COVERSAL</b>   | Welding-brazing & oxy-cutting applications | Welding 5   | ■ COVRP5    | 5 ☹ 1 ☹      | ☹ EN166 / EN175 F ☹ | -       | EN166-EN175 |





# ACCESSORIES

When you take good care of your equipment, it lasts longer, so you can change it less often.

You save money and spare the environment: it's a win-win!

To help you properly maintain

your spectacles, goggles and face shields, Bollé Safety has designed a complete range of practical and effective accessories.

# CASE & CORDS

BOLLÉ SAFETY HAS DESIGNED A COMPLETE RANGE OF PRACTICAL ACCESSORIES TO PROTECT YOUR SPECTACLES, GOGGLES AND FACE SHIELDS.

**+** LESS SCRATCHES

**+** BETTER VISION

**+** BETTER SUPPORT



**Spring-top polyester pouch**  
Ref. ETUIS



**NEW**  
**Hard case**  
Small  
Ref. PACCASR-2



**Microfiber pouch**  
compatible with all our models.  
Available in bags of 10.  
Ref. ETUIFS (small) or ETUIFL (large)



**"Banana" case**  
with belt clip and loop  
Ref. ETUIB



**Soft polyester case**  
with belt loop.  
Ref. ETUIC



**NEW**  
**Retainer strap**  
adjustable and compatible with several models (RUSH+, RUSH+ Small, NESS, NESS+, TRYON, SLAM+, MERCURO, SILEX, SILEX+, SILEX+ Small, KOMET).  
Ref. PSPUNISS01



**Classic adjustable cord**  
TPE tips, 100 % polyester.  
Available in bags of 10.  
Ref. CORDC

# ANTI-FOG SOLUTIONS

SPECIALLY DEVELOPED TO COMBAT THE APPEARANCE OF FOGGING, THE B-CLEAN ANTI-FOG LINE GUARANTEES YOUR EYE PROTECTION WILL BE USED TO ITS BEST.

 BETTER VISION



**Anti-Fog Kit**  
30ml spray + 1  
microfibre cloth  
Ref. PACF030



**Anti-Fog spray**  
500ml  
Ref. PACF500

## DISPENSER

**Kit out your workplace.**

The B600 is a plastic dispenser containing 2 boxes of 200 multi-purpose wipes and a 500 ml cleaning spray. It can be fitted to the wall or stand on a surface.  
Ref. PACD500



**Anti-Fog Kit**  
30ml  
Ref. PACFAR3







Get the user instructions  
on our web site  
[bolle-safety.com](http://bolle-safety.com)



# CLEANING PRODUCTS

THE B-CLEAN BOLLÉ SAFETY RANGE OF CLEANING SOLUTIONS GUARANTEES OPTIMUM CLEANING. ALCOHOL AND SILICONE FREE, ITS WATER-BASED FORMULA GUARANTEES A PERFECT CLEANING AND PROTECTION FOR YOUR SPECTACLES AND GOGGLES.

-  BETTER VISION
-  WATER-BASED FORMULA
-  FOR ALL TYPES OF LENSES
-  ALCOHOL AND SILICONE FREE

**Dispenser with 500 pre-impregnated wipes**  
Ref. PACW500



**Dispenser containing 100 pre-impregnated wipes**  
Ref. PACW100



**Cardboard wall dispenser**  
Cleaning spray 250 ml + 2 x 200 wipes.  
Ref. PACD250



**Cleaning spray 500 ml**  
Ref. PACS500



**Cleaning spray 250 ml**  
Ref. PACS250




**Cleaning spray 50 ml**  
Ref. PACS050



**Box of 200 multi-function wipes**  
Ref. PACMPCT





**PERSONALIZE YOUR GOGGLES AND GLASSES WITH YOUR COMPANY NAME OR LOGO WHILE ENJOYING BOLLÉ SAFETY'S EXPERTISE AND QUALITY.**



Bollé Safety was one of the first on the market to offer branding possibilities to its customers. Thanks to our long-standing experience, you can rely on our innovative and high quality service that will be sure to meet your specific needs.

# CUSTOMIZE YOUR PROTECTIVE EYEWEAR



**WHY CUSTOMIZE  
YOUR EYEWEAR?**

## **YOUR BRAND WHERE YOU WANT IT**


We will make your eyewear exactly the way you want it. Choose branding on the lens, temples or case (if applicable). Use our exclusive online service to create your model.

# BOLLÉ SAFETY TAKES CUSTOMIZATION ALL THE WAY

**FROM A SIMPLE MARK ON GOGGLES TO CO-CREATING AN ENTIRE PRODUCT WITH A CUSTOMER, ALL LEVELS OF CUSTOMIZATION ARE POSSIBLE WITH OUR EYEWEAR. LET'S GET INTO SPECIFICS WITH PROJECT MANAGER CAROLINE RODRIGUEZ.**

## WHAT ARE THE VARIOUS LEVELS OF CUSTOMIZATION BOLLÉ SAFETY OFFERS?

There are three levels. Customization level one is co-branding, where we print a customer's logo or add their colors to one of our existing products, which is possible even for small quantities (from 1,200 units). Level two is SMU, or "special make up", which consists in changing the lens or strap color on products that are already certified. SMU requires larger quantities, from 4 or 5,000 units. And the top level is "special projects", where we develop a product from scratch, because the customer has a specific need that can't be met with our catalogue products. For example, we developed a detachable visor for a helmet or a strapless visor for cleanroom protective equipment.



## SINCE WHEN AND TO WHOM DO YOU OFFER CUSTOMIZATION?

Any company can make a customization request. We officially launched the offer in 2014; we only did one-off projects before that. Not many manufacturers have the design, engineering, certification and production capacities to offer this. Right now we're looking to develop special projects and long-term collaborations with customers.

## HOW DOES THE PROCESS TAKE PLACE?

We handle product development from A to Z. We discuss with the customer, examine the project's feasibility, and once we get started, we create sketches, then 3D models, and depending on the type of customization -prototypes. It's a truly collaborative process.

## VISIBILITY & ENGAGEMENT

Wherever your employees are, your brand is visible with them. And because looks matter, they will feel proud to don customized and exclusive eyewear.



**CO-BRANDING IS NOW ALSO AVAILABLE FOR CERTAIN FACE MASKS.** Over 100 companies already have their cobranded eyewear. Take a look at our brochure to learn about our complete offer.

# HARD AT WORK

# EASY ON THE EYES

---

ProBlu glasses by Bollé Safety are for anyone who sees their job as a labor of love, and protection as a must. Their state-of-the-art protection is designed to make screen-time more comfortable, while providing you optimal vision even in the toughest conditions.

**We provide the glasses. You provide the vision.**

---

PROBLU

# PROTECTING EYES ACROSS SECTORS

ENSURE TOTAL PROTECTION WHILE ENJOYING OPTIMAL VISION,  
ACROSS ALL INDUSTRIAL ACTIVITIES AND BEYOND.

## FOR ALL INDUSTRIAL SEGMENTS:



**AUTOMOTIVE**



**AVIATION**



**CONSTRUCTION**



**ENERGY**



**FOOD PROCESSING**



**MANUFACTURING**



**MINING**



**OIL & GAS**

## IN OTHER SEGMENTS

### HEALTHCARE

Healthcare professionals need to enjoy perfect vision while donning complete safety equipment. Thanks to our protective eyewear, they can perform their daily tasks with total comfort and peace of mind.

### TACTICAL

Bollé Safety's Standard Issue division aims to be a leader in the tactical market by providing innovative and reliable protective eyewear to first responders, military personnel, law enforcement and more.

### PRESCRIPTION

Our prescription safety spectacles provide your employees with both increased eye safety and optimal vision. They are also comfortable and desirably designed, so that they will be happy to wear them.

### BLUELIGHT

Our ProBlu program provides protective and stylish eyewear against radiations from screens. Children, gamers, workers in certain industrial fields or just everyday computer users: we can all benefit from shading our eyes from noxious bluelight.

### CLEANROOMS

Our protective Cleanroom goggles are an effective addition to workers' equipment in industries such as electronics, pharmaceuticals, food processing and medical equipment to limit airborne contamination from workers and maintain cleanliness levels compliant with regulatory standards.

# 130+ YEARS OF EYEWEAR INNOVATION TO EMPOWER USERS

THE JOURNEY OF BOLLÉ SAFETY IS INEXTRICABLY LINKED TO THAT OF BOLLÉ. THROUGHOUT TIME, ONE THING NEVER CHANGED: OUR CAPACITY TO LEVERAGE TECHNOLOGICAL EVOLUTIONS TO CONSTANTLY BRING INNOVATIONS TO MARKET, FUELED BY AN UNWAVERING COMMITMENT TO PROTECTING THE EYES OF WORKERS TO HELP THEM BE GREAT AT WHAT THEY DO.

## 1888

### CREATION OF BOLLÉ IN OYONNAX

This area of the Jura mountains was the cradle of the plastics industry in France. Bollé originally produced combs and hair accessories.

## 1936

### FIRST BOLLÉ SUNGLASSES & CROWN SYMBOL

The company launches celluloid frames and its first sunglasses. Maurice & Robert Bollé become known as "the kings of glasses" and create the crown symbol, engraved on all the brand's glasses ever since, symbol of quality and innovation.

## 1950

### FIRST PROTECTION GOGGLES

The first series of protective goggles for industrial use completes the Bollé line of products as early as 1950.

## 1981

### PRESCRIPTION PROGRAMME LAUNCH

A wide range of safety spectacles with prescription lenses become available, for those who need vision correction while enjoying maximum protection for their eyes.

## 1994

### CREATION OF BOLLÉ SAFETY

Bollé Safety is launched as a new division and brand. After decades of growth and synergy with Bollé while developing its own distribution network, Bollé Safety gains its independence.

## 2000

### BOLLÉ SAFETY GOES WORLDWIDE

With products distributed in over 100 countries and worn by 20 million workers globally, Bollé Safety opens representations in Japan, the USA, Latin America and Hong Kong.

## 2014

### OUR EYEWEAR GOES PLATINUM

To ensure optimal and enduring vision in all situations, Bollé Safety launches PLATINUM, an exclusive anti-scratch and anti-fog coating applied on both sides of the lens.

## 2015

### LAUNCH OF THE CO- BRANDING PROGRAMME

Bollé Safety is one of the first manufacturers to offer co-branding to its customers, creating products that look just like them.





# 2019

## LAUNCH OF THE SUSTAINABILITY 'GO GREEN' PLAN

Bollé Safety develops co-conscious projects for the greatest benefits of both our customers and the planet.

# 2020

## DEVELOPMENT OF THE HEALTHCARE RANGE

Protective eyewear developed in response to COVID-19, so healthcare workers can rely on their PPE to stay as efficient as possible and concentrate on saving lives. A new range dedicated to the men and women who protect us, engineered for First responders, Shooting, Law enforcement & Military.

# 20

## MILLION USERS

in more than 100 countries worldwide (185 000+ companies)


# 75+

## PRODUCTS AVAILABLE

# 6

## OFFICES WORLDWIDE

- Carlsbad (USA)
- London, UK & Irlande
- Lyon (France)
- Hong Kong
- Tokyo (Japan)
- Melbourne (Australia).



# MARKINGS AND STANDARDS


**BOLLÉ SAFETY EYEWEAR BEARS LENS AND FRAME MARKINGS THAT ARE SPECIFIC TO EACH PRODUCT. EVERY MARKING IS RELATED TO A PARTICULAR USE AND PROVIDES INFORMATION THAT IS CERTIFIED AND TESTED BY INDEPENDENT LABORATORIES, THUS GUARANTEEING THE QUALITY AND RESISTANCE OF YOUR PROTECTIVE EYEWEAR.**



*For more information about a specific product, please refer to the product's markings.*

MANUFACTURER LOGO

5-1,4 1 FT KN CE



## EN166

Guarantee of minimum protection against common risks (dropping, sun-ageing, heat exposure, corrosion, etc.).



The UKCA (UK Conformity Assessed) marking is a new marking used for goods sold on the market in Great Britain (England, Wales and Scotland). It covers most goods which previously required the CE marking.

## A NEW ISO STANDARD

In the coming years, ISO 16321 will officially replace EN166 in order to bring more safety to users. Some of our products will carry the ISO 16321 markings. For more information on the standard and the markings, please contact our experts.





The guarantee of Bollé Safety product authenticity and quality.

## LENS MARKING

| SYMBOL | DEFINITION                                                                                         | DISPONIBLE IN             |         |             | NORMA | SUBJECT         |
|--------|----------------------------------------------------------------------------------------------------|---------------------------|---------|-------------|-------|-----------------|
|        |                                                                                                    | Glasses/ Over the glasses | Goggles | Faceshields |       |                 |
| 1      | Continuous work - Worn permanently                                                                 |                           |         |             | EN166 | Optic class     |
| 2      | Non-continuous work - Worn intermittently                                                          |                           |         |             | EN166 | Optic class     |
| 8      | Electrical short circuit arc                                                                       |                           |         |             | EN166 | Electric risk   |
| 9      | Molten metal and hot solids                                                                        |                           |         |             | EN166 | Thermal risk    |
| S      | Extra strong: resists a 22mm 43g ball falling 1.3m at 5.1 m/s                                      |                           |         |             | EN166 | Mechanical risk |
| F      | Low energy impact, resists a 6mm, 0.86g ball at 45m/s                                              |                           |         |             | EN166 | Mechanical risk |
| B      | Medium energy impact, resists a 6mm, 0.86g ball at 120 m/s                                         |                           |         |             | EN166 | Mechanical risk |
| A      | High energy impact, resists a 6mm, 0.86g ball at 190 m/s                                           |                           |         |             | EN166 | Mechanical risk |
| T      | Authorised use in an environment in which high speed particles at extreme temperatures are present |                           |         |             | EN166 | Mechanical risk |
| K      | Resistance to surface damage by fine particles                                                     |                           |         |             | EN166 | Abrasion        |
| N      | Resistance to fogging                                                                              |                           |         |             | EN166 | Fogging         |

## FRAME MARKINGS

| SYMBOL | DEFINITION                                                                                         | DISPONIBLE IN             |         |             | NORMA | SUBJECT         |
|--------|----------------------------------------------------------------------------------------------------|---------------------------|---------|-------------|-------|-----------------|
|        |                                                                                                    | Glasses/ Over the glasses | Goggles | Faceshields |       |                 |
| 3      | Liquid droplets or splashes                                                                        |                           |         |             | EN166 | Chemical risk   |
| 4      | Large dust particles >5 microns                                                                    |                           |         |             | EN166 | Chemical risk   |
| 5      | Gas and fine dust particles <5 microns                                                             |                           |         |             | EN166 | Chemical risk   |
| 8      | Electrical short circuit arc                                                                       |                           |         |             | EN166 | Electric risk   |
| 9      | Molten metal and hot solids                                                                        |                           |         |             | EN166 | Thermal risk    |
| S      | Extra strong: resists a 22mm 43g ball falling 1.3m at 5.1 m/s                                      |                           |         |             | EN166 | Mechanical risk |
| F      | Low energy impact, resists a 6mm, 0.86g ball at 45m/s                                              |                           |         |             | EN166 | Mechanical risk |
| B      | Medium energy impact, resists a 6mm, 0.86g ball at 120 m/s                                         |                           |         |             | EN166 | Mechanical risk |
| A      | High energy impact, resists a 6mm, 0.86g ball at 190 m/s                                           |                           |         |             | EN166 | Mechanical risk |
| T      | Authorised use in an environment in which high speed particles at extreme temperatures are present |                           |         |             | EN166 | Mechanical risk |

### WARNING



























- F. Maximum protection for spectacles.
- B. Maximum protection for goggles.
- A. Maximum protection for face shields.

If the S, F, B, A and T symbols do not apply to both the lens and frame, then the lowest level must be assigned to the complete protective eyewear.






# QUICK SEARCH

FIND OUT AT A GLANCE ALL THE MODELS OF GLASSES, OVER THE GLASSES, GOGGLES, FACE SHIELDS AND WELDING EQUIPMENTS AVAILABLE IN THIS CATALOGUE.












## GLASSES

| MODEL                                                                                                   | COATING       | PAGES | MODEL                                                                                                          | COATING       | PAGES |
|---------------------------------------------------------------------------------------------------------|---------------|-------|----------------------------------------------------------------------------------------------------------------|---------------|-------|
|  <b>BANDIDO</b>         | PLATINUM LITE | P 44  |  <b>NESS+</b>                | PLATINUM      | P 21  |
|  <b>BAXTER</b>          | PLATINUM      | P 29  |  <b>PRISM</b>                | PLATINUM LITE | P 45  |
|  <b>BS08</b>            | PLATINUM      | P 27  |  <b>RUSH</b>                 | PLATINUM LITE | P 38  |
|  <b>BL30</b>          | PLATINUM LITE | P 44  |  <b>RUSH+</b>              | PLATINUM      | P 18  |
|  <b>COBRA</b>         | PLATINUM      | P 22  |  <b>SILEX</b>              | PLATINUM LITE | P 37  |
|  <b>CONTOUR</b>       | PLATINUM      | P 23  |  <b>SILEX+</b>             | PLATINUM      | P 20  |
|  <b>CONTOUR METAL</b> | PLATINUM LITE | P 43  |  <b>SILIUM</b>             | PLATINUM LITE | P 42  |
|  <b>HUSTLER</b>       | PLATINUM LITE | P 34  |  <b>SILIUM+</b>            | PLATINUM      | P 26  |
|  <b>ILUKA</b>         | PLATINUM LITE | P 45  |  <b>SLAM</b>               | PLATINUM LITE | P 39  |
|  <b>IRI-S</b>         | PLATINUM      | P 28  |  <b>NEW SOLIS GO GREEN</b> | PLATINUM LITE | P 36  |
|  <b>NEW KOMET</b>     | PLATINUM LITE | P 35  |  <b>TRACKER</b>            | PLATINUM      | P 30  |
|  <b>MERCURO</b>       | PLATINUM      | P 25  |  <b>TRYON</b>              | PLATINUM      | P 24  |
|  <b>NESS</b>          | PLATINUM LITE | P 39  |  <b>ULTIMS</b>             | PLATINUM      | P 31  |




## OVER THE GLASSES

| MODEL                                                                            |                  | COATING       | PAGES |
|----------------------------------------------------------------------------------|------------------|---------------|-------|
|  | <b>BL11</b>      | AS            | P.49  |
|  | <b>BL13</b>      | AS            | P.49  |
|  | <b>OVERLIGHT</b> | PLATINUM LITE | P.48  |
|  | <b>SQUALE</b>    | PLATINUM LITE | P.48  |
|  | <b>TRYON OTG</b> | PLATINUM      | P.47  |










## GOGGLES

| MODEL                                                                               |                             | COATING       | PAGES |
|-------------------------------------------------------------------------------------|-----------------------------|---------------|-------|
|  | <b>ATOM</b><br>Vented       | PLATINUM      | P 58  |
|  | <b>ATOM</b><br>Sealed       | PLATINUM      | P 61  |
|  | <b>BLAST</b><br>Vented      | PLATINUM LITE | P 58  |
|  | <b>BLAST</b><br>Sealed      | PLATINUM LITE | P 62  |
|  | <b>BL15</b><br>Vented       | -             | P 59  |
|  | <b>BL15</b><br>Sealed       | -             | P 63  |
|  | <b>COVERALL</b><br>Vented   | PLATINUM LITE | P 59  |
|  | <b>COVERALL</b><br>Sealed   | PLATINUM LITE | P 63  |
|  | <b>PILOT</b><br>Vented      | PLATINUM      | P 57  |
|  | <b>SUPERBLAST</b><br>Vented | PLATINUM      | P 56  |
|  | <b>SUPERBLAST</b><br>Sealed | PLATINUM LITE | P 60  |

## FACE SHIELDS

| MODEL                                                                             |                       | COATING       | PAGES |
|-----------------------------------------------------------------------------------|-----------------------|---------------|-------|
|  | <b>IFS20</b>          | -             | P 68  |
|  | <b>SPHERE</b>         | -             | P 67  |
|  | <b>TILTING SHIELD</b> | PLATINUM LITE | P 69  |

## WELDING

| MODEL                                                                               |                   | COATING       | PAGES |
|-------------------------------------------------------------------------------------|-------------------|---------------|-------|
|    | <b>BANDIDO</b>    | -             | P 76  |
|   | <b>COVERSAL</b>   | -             | P 76  |
|  | <b>FLASH</b>      | -             | P 72  |
|  | <b>FUSION+</b>    | -             | P 73  |
|  | <b>SLAM</b>       | PLATINUM LITE | P 76  |
|  | <b>SQUALE</b>     | -             | P 76  |
|  | <b>SUPERBLAST</b> | PLATINUM LITE | P 75  |
|  | <b>TRACKER II</b> | -             | P 77  |
|  | <b>VOLT</b>       | -             | P 74  |



IF YOU CAN'T FIND A MODEL IN THE CATALOGUE, YOU CAN FIND IT ON OUR WEBSITE [BOLLE-SAFETY.COM](http://BOLLE-SAFETY.COM)

## **EUROPE / BOLLÉ SAFETY**

34, rue de la Soie  
69100 Villeurbanne  
France  
Tel: 00 33 (0)4 78 85 23 64  
E-mail: [contact@bolle-safety.com](mailto:contact@bolle-safety.com)

## **UK & IRELAND / BOLLÉ SAFETY**

Unit C83 - Barwell Business Park  
Leatherhead Road - Chessington  
Surrey - KT9 2NY - UK  
Tel. 00 44 (0)208 391 4700  
Fax: 00 44 (0)208 391 4733  
E-mail: [sales@bolle-safety.co.uk](mailto:sales@bolle-safety.co.uk)



**THE PPE EYEWEAR  
SPECIALISTS**